

# Silverglades Infrastructure Private Limited

Corporate Office:- 5<sup>th</sup> Floor, Time Square Building, B Block, Sushant Lok-I, Gurugram-122002, Haryana  
E-mail :-[cs@silverglades.com](mailto:cs@silverglades.com); Website :- [www.silverglades.com](http://www.silverglades.com); CIN :- U45201DL2005PTC138897  
Ph. :- 91-124-4550300/309 ; Fax :- 91-124-4550399.

Date: 01.12.2025

To,

Regional Office,  
Ministry of Environment, Forest & Climate Change (Northern Region),  
Bays No: 24-25, Sector-31 A,  
Dakshin Marg, Chandigarh-160030

**Sub: Six-monthly Compliance (December 2025) of the stipulated Environmental conditions/safeguards in the Environmental clearance letter and Environmental Monitoring Report for the expansion of group housing project at village-Sukhrali, Sector-28, Gurugram, , Haryana by M/s Silverglades Infrastructure Pvt. Ltd.**

**Ref: Environmental Clearance Letter No. SEIAA (126)/HR/2021/118 dated 01/02/2021.**

Dear Sir,

With reference to the Environmental Clearance granted to our above said project by State Level Environment Impact Assessment Authority, Haryana, we are herewith submitting point wise status of compliance of general and specific conditions of the EC letter in accordance with the provision of EIA notification 2006 and its amendment.

Following documents are attached herewith for your kind perusal:

1. Point-wise compliance of the stipulated environmental conditions/ safeguards.
2. Environmental monitoring report along with other necessary permissions/documents (**December 2025**)


We fully assure you that we will comply with all conditions as specified in the Environment clearance granted us. Details of Representative are as follows:

Name	Harsh Kumar Gupta
Designation	Director
Contact no.	9899987678
Email ID	cs@silverglades.com

Thanking you,

Yours Sincerely,

For M/s Silverglades Infrastructure Pvt. Ltd.




**(Authrised Signatory)**

CC:

1. The Member Secretary, Haryana State Pollution Control Board, Panchkula, Haryana.
2. The Member Secretary SEIAA, Bay No.55-58, Parytan Bhawan 1<sup>st</sup> Floor Sector-2, Panchkula, Haryana.

# COMPLIANCE

# REPORT



**HALF-YEARLY COMPLIANCE (DECEMBER-2025) OF STIPULATED  
ENVIRONMENTAL CONDITIONS/ SAFEGUARDS IN THE ENVIRONMENTAL  
CLEARANCE REF. LETTER NO. SEIAA (126)/HR/2021/118 DATED 01.02.2021  
FOR EXPANSION OF GROUP HOUSING PROJECT  
AT VILLAGE- SUKHLALI, SECTOR-28, DISTRICT-GURUGRAM, HARYANA.  
BY  
M/S SILVERGLADES INFRASTRUCTURE PVT. LTD.**

S.No	Part -A Specific Condition	Agreed.
1	Sewage shall be treated in the STP based on latest Technology with tertiary treatment i.e. Ultra Filtration to achieve standards ordered by NGT. The Treated effluent from STP shall be recycled /reused for flushing. DG cooling, Gardening.	Sewage will be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra Filtration. The Treated effluent from STP will be recycled/reused for flushing. DG cooling, Gardening.
2	The Project Proponent would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated wastewater being used for flushing in terms of faecal coli forms and other pathogenic bacteria.	<b>Agreed:</b> We will be abiding by the same.
3	The PP shall ensure that the total 2% of the cost of project shall be spent on EMP budget. However, the amount and component shown in EMP table above shall be also being included for the purpose of 2% amount. The EMP cost on Socio economic activities shall be used before the commencement of the project & EMP recurring inside the project shall	<b>Agreed.</b> Total 2% of the cost of project will be spent on EMP budget.



	be implanted throughout the operation of the project.	
4	The PP shall take preventive measures to control the dust of excavated soil of basements and implement the reuse, storage plan of soil.	<b>Agreed.</b> We are taking all the preventive measures to control the dust of excavated soil of basements and implement the reuse, storage plan of soil.
5	The PP shall implement the submitted Wildlife Activity Plan & Rs.10 lakh will be spent on various wildlife conservation activities like artificial nests on the trees, digging of ponds and construction of feeding platforms through Environment Management Plan.	<b>Agreed:</b> We will implement the same.
6	The project proponent shall upload the status of compliance of the basic details (given in above tables), stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half yearly basis.	<b>Agreed.</b> We have uploaded the status of compliance of the basic details, stipulated environmental clearance conditions, including results of monitored data on website as link provided <a href="https://www.silverglades.com/compliance.php">https://www.silverglades.com/compliance.php</a> .
7	The Project Proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water	<b>Agreed:</b> We will implement the same.



	being supplied through spray faucets attached to toilet seats.	
8	Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted in Organic waste converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from the project will be sent to dumping site.	<b>Agreed:</b> Separate wet and dry bins will be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste will be segregated into wet garbage and inert materials. Wet Garbage will be composted in Organic waste converter. Adequate area will be provided for solid waste management within the premises which will include area for segregation, composting.
9	Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habilitation being carried out or purpose to be carried out by the project or other agencies in this 05 kms radius of the site in different scenarios of space and time.	<b>Agreed:</b> Traffic management plan is attached as <b>Annexure-I</b> .



10	No tree cutting has been proposed in the instant project. A minimum of 1 tree for every 80sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 4953.80 sq. m (25.24%) shall be provided for green area development.	<b>Agreed.</b> Three trees were cut with prior permission of the Forest department. A copy of the same is attached as <b>Annexure-II</b> . As proposed 4953.80 sq. m (25.24%) is provided for green area development. The landscape plan is enclosed as <b>Annexure-III</b> .
11	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	<b>Agreed.</b> All the construction is being done in accordance with the local building byelaws. The Environmental Clearance has been obtained SEIAA Haryana vide letter no. SEIA(126)/HR/2021/118 dated 01.02.2021 is attached as <b>Annexure-IV</b> .
12	Consent to establish/operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act, 1981 and the Water (Prevention and control of pollution) Act, 1974.	<b>Agreed.</b> Copy of Consent to Establish has been obtained from HSPCB vide Letter No. <b>HSPCB/Consent/:</b> <b>329962321GUNOCTE9390084</b> dated <b>03.03.2021</b> is attached as <b>Annexure-V</b> .
13	The Approval of the Competent Authority shall be obtained for structural safety of building code due to earthquakes, adequacy of firefighting	<b>Agreed.</b> The structural safety certificate is attached as <b>Annexure-VI</b> .



	equipment's etc. as per National Building Code including protection measures from lightening etc.	
14	The PP shall not carry any construction above or below Revenue Rasta	<b>Agreed.</b> We will not carry any construction activities on revenue rasta
15	The PP shall obtain the Fire NOC from the competent authority before taking occupation of the building.	<b>Agreed.</b> Fire NOC has been attached as Annexure-VII.
16	The PP shall install the Eco-friendly Green Transformer based on ester oil to reduce the carbon footprint. The PP shall shift to gas-based generator set when the gas is available. The PP shall install APCM for the DG set.	<b>Agreed.</b> We will install the Eco-friendly Green Transformer based on ester oil to reduce the carbon footprint and will also install APCM for the DG set.
17	The PP shall not give occupation or possession before the water supply & sewage connection permitted by the competent authority.	<b>Agreed.</b> We will not provide occupation or possession before the water supply & sewage connection permitted by the competent authority.
18	The PP shall not give occupation or possession before the electricity connection permitted by the competent authority.	<b>Agreed.</b> We will not provide occupation or possession before the electricity connection permitted by the competent authority.
19	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of project and also obtained the CTO from the HSPCB after the approval from CGWA.	<b>Agreed:</b> Currently the project is in construction phase. We will obtain the permission of ground water from CGWA and also obtained the CTO from the HSPCB before operation of project.
20	The PP shall carry out the quarterly awareness programs for the stakeholders of the commercial colony/project.	<b>Agreed.</b> We will implement the same.



21	5 Rainwater Harvesting recharge Pits for ground water recharging as per the CGWB norms.	<b>Agreed.</b> The rainwater harvesting Plan is attached as <b>Annexure-VIII</b> .
22	The PP shall install Digital water level recorder for monitoring the water recharge and carry out quarterly maintenance and cleaning of 5 RWH pits.	<b>Agreed.</b> Quarterly maintenance and cleaning of 6 RWH pits will be carried out. The rainwater harvesting plan is attached as <b>Annexure-VIII</b> .
23	The PP shall provide the Anti-Smog Gun mounted on truck in the project for suppression of dust during construction and operational phase and shall use the treated water.	<b>Agreed.</b> Anti-Smog gun mounted on truck is being used during construction phase and will be used during operation phase. Anti-Smog gun photographs are attached as <b>Annexures-IX</b>
24.	The PP shall take all preventive measures including water sprinkles to control dust during construction and operational phase.	<b>Agreed.</b> We are taking all preventive measures including water sprinkles to control dust during construction and will take preventive measures in operational phase.
25.	The PP shall provide the mechanical ladder for use in case of emergency.	<b>Agreed:</b> We will provide the mechanical ladder for use in case of emergency.
26.	Any change in stipulations of EC will lead to Environmental Clearance void-ab initio and PP will have to seek fresh Environmental Clearance.	Noted and being Complied with the same.
27.	The extensive studies have been undertaken regarding Traffic flow & Level of Services around the site ascertaining that there would be no adverse effect or impediment in movement of traffic during the construction or operational phase of upcoming project.	<b>Agreed.</b> We ensure that there will be no adverse effect or impediment in movement of traffic during Construction phase.



28.	While carrying out the "Air Dispersion Modelling" inbounds and outbound vehicles are 92 PCU/hr. along with the emission and running hours (6 hrs) of DG sets has been considered.	<b>Agreed</b> and will be complied with the same.
29.	The running of DG sets /Captive Power during the Construction or Operation phase and fuel to be used would be as per the Guidelines of GRAP & NCAP; as per ruling passed by Hon'ble EPCA/NGT that National Clean Air Program vide office order No. HSPCB/SSC/2020/4320-44 dated 25.06.2020 would be implemented.	<b>Agreed.</b> The running of DG sets /Captive Power during the Construction and fuel is being used as per the Guidelines of GRAP & NCAP; as per ruling passed by Hon'ble EPCA/NGT that National Clean Air Program vide office order No. HSPCB/SSC/2020/4320-44 dated 25.06.2020 is being implemented and same will be followed during operation phase.
30.	Environment clearance was obtained from State Environment Impact Assessment Authority (SEIAA) Haryana vide letter no. SEIAA/HR/ 2018/605 dated 15.06.2018. Temporary structure (site office/store) was constructed at the project site having area 634.85 sqm and permission of the same was obtained from the office of Senior Town Planner, Gurgaon vide Memo No.-STP / (G)/2014/332. Further we would like to inform you that the existing temporary structure is not in accordance to the site plan approved by the Department of Town and Country Planning and will be dismantle. No construction activity has been started for the proposed project.	Noted and is being complied.



	However a small digging was done on the auspicious occasion of Bhumipujan.	
31.	The PP would use only treated water in "Wet scrubber" and the outgoing water of the scrubber would be filtered /treated & the same will be reused.	<b>Agreed.</b> Only treated water will be used in "Wet scrubber" and the outgoing water of the scrubber will be filtered /treated & the same will be reused.
32.	The PP shall install all the necessary retro-fitting to meet out the standards of NCAP/GRAP.	<b>Agreed.</b> We will install all necessary retro-fittings to meet out the standards of NCAP/GRAP.
<b>B Statutory Compliance</b>		
1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority for ground coverage, FAR and should be in accordance with zoning plan approved by Competent Authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	<b>Agreed.</b> All necessary clearance/permission from all relevant agencies including town planning authority has been taken before commencement of work. All the construction is being done in accordance with the local building byelaws. Copy of Environmental Clearance is attached as <b>Annexure-IV</b> . CTE has been obtained from HSPCB vide letter No. HSPCB/Consent/: 329962321GUNOCTE9390084 dated 03.03.2021 is enclosed as Annexure-V.
2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	<b>Agreed.</b> Structural safety certificate is attached as <b>Annexure-VI</b> .
3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the	<b>Agreed.</b> Forest clearance is enclosed as <b>Annexure-X</b> .



	diversion of forest land for non-forest purpose involved in the project.	
4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	<b>Not Applicable.</b>
5	The project proponent shall obtain Consent to Establish/Operate, under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board.	<b>Agreed.</b> We have obtained the consent to establish from Haryana State Pollution Control Board <b>vide HSPCB/ Consent No: 329962321GUNOCTE9390084 dated 03.03.2021</b> and the same is attached as <b>Annexure-V.</b>
6	The project proponent shall obtain the necessary permission for drawl of ground water/surface water required for the project from the competent authority.	<b>Agreed.</b> The water supply permission has been taken from GMDA and the same is attached as <b>Annexure-XI.</b>
7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	<b>Agreed.</b> Power assurance is attached as <b>Annexure-XII.</b>
8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, and Civil Aviation Department shall be obtained, as applicable, by project proponents from the prospective competent authorities.	<b>Agreed.</b> NOC from Airport Authority of India has been obtained and is attached as <b>Annexure-XIII.</b>
9	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the	<b>Agreed.</b> The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics




	Plastics Waste (Management) Rules, 2016 shall be followed.	Waste (Management) Rules, 2016 will be followed.
10	The project proponent shall follow the ECBC Act/ECBC – Rules prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of byelaws of the State Government.	<b>Agreed:</b> We are following the ECBC Act/ECBC – Rules prescribed by Bureau of Energy Efficiency byelaws.
<b>(I) Air quality monitoring and preservation</b>		
I	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be compiled with.	<b>Agreed.</b> Dust Mitigation Measures is being take for Construction and Demolition Activities for projects requiring Environmental Clearance is compiled with.
II	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	<b>Agreed.</b>
III	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM <sub>10</sub> and PM <sub>2.5</sub> ) covering upwind and downwind directions during the construction period.	<b>Agreed.</b> The latest Ambient Air Quality monitoring reports are enclosed as <b>Annexure-XV</b> .
IV	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act,	<b>Agreed.</b> The DG sets are equipped with acoustic enclosure to minimize noise generation and stack height is adequate for proper dispersion.



	1986. The height of stack of DG sets should be equal to the height 'needed for the combined capacity of all proposed DG sets. Use of ultralow Sulphur diesel: The location of the DG sets may be decided with in consultation with State Pollution Control Board.	
V	Construction site shall be adequately barricaded before the construction begins; Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be Provided for vehicles bringing in sand, cement, murram and others construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	<b>Agreed.</b> The construction site is adequately barricaded. Dust, smoke & other air pollution prevention measures are being provided. Plastic/tarpaulin sheet covers are being provided for vehicles bringing in sand, cement and other construction materials to the site. Site Barricading Photographs is attached as <b>Annexures-XVI</b> .
VI	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	<b>Agreed:</b> Sand, murram, loose soil, cement, stored on site are being covered adequately so as to prevent dust pollution.
VII	Wet jet shall be provided for grinding and stone cutting.	<b>Agreed:</b> Wet jets are provided for grinding and stone cutting.
VIII	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	<b>Agreed:</b> Unpaved surfaces and loose soil are being adequately sprinkled with water to suppress dust.



IX	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.	<b>Agreed.</b> All demolition and construction waste are being managed as per the provisions of the Construction and Demolition Waste Rules 2016.
X	The diesel generator sets to be used during construction phase shall be ultra-low Sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	<b>Agreed.</b> The diesel generator sets being used during construction phase are ultra-low Sulphur diesel type and conformed to Environmental (Protection) prescribed for air and noise emission standards.
XI	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Ultra low Sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Agreed and is being complied.
XII	For indoor air quality the ventilation provisions as per National Building Code of India.	<b>Agreed.</b> For indoor air quality ventilation provisions are as per National Building Code of India will be provided.
(II)	<b>Water quality monitoring and preservation</b>	
I	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be	<b>Agreed:</b> The natural drain system will be maintained for ensuring unrestricted flow of water. No construction will be allowed to




	allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	obstruct the natural drainage through the site, on wetland and water bodies.
II	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	<b>Agreed.</b> We are abiding by the same.
III	Total freshwater use shall not exceed the proposed requirement as provided in the project details.	<b>Agreed:</b> We will be abiding by the same.
IV	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	<b>Agreed:</b> We will be abiding by the same.
V	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface	<b>Agreed.</b> The water supply permission has been taken from GMDA and the same is attached as <b>Annexure-XI</b> .



	water sources, ensuring that there is no impact on other users.	
VI	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	<b>Agreed:</b> We are being complied with the same.
VII	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	<b>Agreed.</b> Dual Plumbing Plan is attached as <b>Annexure-XVII.</b>
VIII	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	<b>Agreed:</b> Use of water saving devices/ fixtures will be used for water conservation and same will be incorporated in the building plan.
IX	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system should be done.	<b>Agreed.</b> Separation of grey and black water will be done using dual plumbing system. Dual Plumbing Plan has been attached as <b>Annexure-XVII.</b>
X	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	<b>Agreed:</b> Pre-mixed concrete, curing agents and other best practices are being used to reduce the water demand during construction.



XI	The local bye-law provisions on rainwater harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms	<b>Agreed:</b> The local bye-law provisions on rainwater harvesting will be followed.
XII	A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total freshwater requirement shall be provided. In areas where ground water recharge is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	<b>Agreed:</b> RWH plan is attached as <b>Annexure-VIII</b> .
XIII	All recharges should be limited to shallow aquifer.	<b>Agreed and will be complied.</b>
XIV	No ground water shall be used during construction phase of the project.	<b>Agreed:</b> No ground water is being used during construction phase of the project.
XV	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval	<b>Agreed:</b> Groundwater withdrawal is not required. The water supply permission has been taken from GMDA and the same is attached as <b>Annexure-XI</b> .



	shall be taken from the CGWA for any ground water abstraction or dewatering.	
XVI	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	<b>Noted and will be complied.</b>
XVII	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed into municipal drain.	<b>Agreed:</b> Sewage will be treated in the STP with tertiary treatment. The treated effluent from STP will be recycled/re-used for flushing, AC make up water and gardening.
XVIII	No sewage or untreated effluent water would be discharged through storm water drains.	<b>Agreed:</b> Sewage or untreated effluent water will not be discharged through storm water drains. Strom water Drainage connection has been obtained from GMDA is attached ass <b>Annexure-XVII</b>
XIX	Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated wastewater shall be reused on site for landscape, flushing, cooling tower; and other end-uses. Excess treated water shall be discharged as per	<b>Agreed.</b> The installation of the Sewage Treatment Plant (STP) will be certified by an independent expert.




	norms notified by the Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	
XX	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	<b>Agreed:</b> Periodical monitoring of water quality of treated sewage will be conducted.
XXI	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	<b>Agreed:</b> Sewage from septic tanks will be collected and disposed as per the Ministry of Urban Development.
<b>(III) Noise Monitoring and Prevention</b>		
I	Ambient noise levels shall conform to residential area/commercial area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	<b>Agreed.</b> Monitoring report is enclosed as <b>Annexure XV.</b>
II	Noise level survey shall be carried as per the prescribed guidelines and report in	<b>Agreed and is being complied with.</b>



	this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report	
III	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	<b>Agreed.</b> Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel are implemented as mitigation measures for noise impact due to ground sources.
<b>(IV) Energy Conservation Measures</b>		
I	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency as per ECBC Act, 2017 read with ECBC Rules, 2018 shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also which in no case less than 25% as prescribed.	<b>Agreed and will be complied with.</b>
II	Outdoor and common area lighting shall be LED.	<b>Agreed:</b> Outdoor and common area lighting will be LED.
III	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof R & U-values shall be as per ECBC specifications.	<b>Agreed.</b> Concept of passive solar design that minimizes energy consumption in buildings is incorporated in the building design. Wall, window, and roof R & U-values are as per ECBC specifications.



IV	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	<b>Agreed:</b> We will be complied with the same.
V	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.	<b>Agreed.</b> Solar, wind or other Renewable Energy will be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.
VI	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirements of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	<b>Agreed.</b> Solar power will be used to reduce the power load on grid. Separate electric meter will be installed for solar power. Solar water heating will be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirements of the local building bye-laws, whichever is higher.
VII	The PP will submit report indicating compliance of each parameter of ECBC requirement and submit quantification saving report for each component	<b>Agreed and will be complied with.</b>
<b>(V)</b>	<b>Waste Management</b>	
I	A certificate from the competent authority handling municipal solid	<b>Agreed.</b>



	wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	
II	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	<b>Agreed.</b> Disposal of muck during construction phase is not creating any adverse effect on the neighboring communities and is being disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
III	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	<b>Agreed.</b> Separate wet and dry bins will be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste will be segregated into wet garbage and inert materials.
IV	Organic Waste Converter within the premises with a minimum capacity of 0.5 Kg /person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.	<b>Agreed.</b> Organic Waste Converter within the premises with a minimum capacity of 0.5 Kg/person/day will be installed. Leaves will be put in earmarked pits for converting them into compost to be used as manure.
V	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	<b>Agreed.</b> All non-biodegradable waste will be handed over to authorized recyclers. Written tie up with Authorized recyclers is attached As Annexure-XIV.
VI	Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with	<b>Agreed.</b> Any hazardous waste generated during construction phase, is being disposed of as per applicable rules and norms with



EXPANSION OF GROUP HOUSING PROJECT  
AT VILLAGE- SUKHLALI, SECTOR-28,  
DISTRICT-GURUGRAM, HARYANA

COMPLIANCE REPORT  
DECEMBER 2025

	necessary approvals of the State Pollution Control Board.	necessary approvals of the State Pollution Control Board.
VII	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	<b>Agreed.</b> We are using environment friendly materials in bricks, blocks and other construction materials.
VIII	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September 1999 and amended as on 27 <sup>th</sup> August 2003 and 25 <sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.	<b>Agreed.</b> Fly ash is being used as building material in the construction as per the provision of Fly Ash Notification of September 1999 and amended as on 27 <sup>th</sup> August 2003 and 25 <sup>th</sup> January, 2016. Ready mixed concrete is being used in building construction.
IX	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	<b>Agreed.</b> Wastes from construction and demolition activities related there are being managed so as to strictly conform to the Construction and Demolition Rules, 2016.
X	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	<b>Agreed.</b> Used CFLs and TFLs will be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
(VI)	<b>Green Cover</b>	



I	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).	<b>Agreed.</b> We are comply with the same.
II	A minimum of 1 tree (5' tall) for every 80sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	<b>Agreed and will be complied with the same.</b>
III	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Planation to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	<b>Agreed.</b> Area for green belt development is provided as per details provided in the project document.  The landscape plan regarding the same is attached as <b>Annexure-III</b> .

IV	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	<b>Agreed.</b> Topsoil is being stripped to a depth of 20 cm from the areas proposed for buildings, roads and paved areas, and external services. Due to shortage of space, it is being stockpiled appropriately in designated areas at another site and reapplied during plantation of the proposed vegetation on site.
<b>(VII) Transport</b>		
I	<p>A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized public and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.</p> <p>a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.</p> <p>b) Traffic calming measures.</p> <p>c) Proper design of entry and exit points.</p> <p>d) Parking norms as per local regulation.</p>	<b>Agreed and is being complied with.</b>
II	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission	<b>Agreed.</b> Construction material is brought to the site by the vehicles having a valid pollution check certificate.

	standards be operated only during non-peak hours.	
III	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05-kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	<b>Agreed.</b> Detailed traffic plan is attached as <b>Annexure-I.</b>
<b>(VIII) Human Health Issues</b>		
I	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	<b>Agreed.</b> Dust masks are provided to all the workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution.



II	For indoor air quality the ventilation provisions as per National Building Code of India.	<b>Agreed.</b> For indoor air quality Ventilation provisions are as per National Building Code of India will be provided.
III	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	<b>Agreed.</b>
IV	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	<b>Agreed.</b> There is no provision made for the housing of construction labour within the site however the requirement of labour is being fulfilled through out-sourcing.
V	Occupational health surveillance of the workers shall be done on a regular basis.	<b>Agreed and is being complied with.</b>
VI	A First Aid Room shall be provided in the project both during construction and operations of the project.	<b>Agreed.</b> The First Aid Room is being provided in the construction phase. Photographs of First aid facility are attached as <b>Annexure-XVIII</b> .
<b>(IX)</b>	<b>Corporate Environment Responsibility</b>	
I	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	<b>Agreed and is being complied with.</b>
II	The company shall have a well laid down environmental policy duly approved by	<b>Agreed.</b> We are implementing the same.



	<p>the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation/violation of the environmental/ forest/ wildlife norms/conditions. The company shall have defined system of reporting infringements/ deviation /violation of the environmental/forest/wildlife norms /conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&amp;CC as a part of six-monthly report.</p>	
III	<p>A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.</p>	<b>Agreed and is being complied with.</b>
IV	<p>Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise</p>	<b>Agreed.</b> The year wise funds earmarked for environmental protection measures is being kept in separate account and will not be diverted for any other purpose.



	progress of implementation of action plan shall be reported to the Ministry Regional Office along with the Six Monthly Compliance Report.	
V	PP must submit the Balance sheet/Account statement duly attested & signed by the Chartered Accountant showing the dispersal of funds in said schemed along with the Six monthly Compliance Report" positively.	<b>Agreed:</b> We will be abiding by the same in next compliance.
<b>(X)</b>	<b>Miscellaneous</b>	
I	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.	<b>Agreed.</b> Newspaper advertisements is enclosed as <b>Annexure-XIX</b> .
II	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	<b>Agreed.</b> The copies of the environmental clearance have been submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government.
III	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions,	<b>Agreed.</b> We have uploaded the status of compliance of the stipulated environment clearance conditions, including results of

EXPANSION OF GROUP HOUSING PROJECT  
AT VILLAGE- SUKHLALI, SECTOR-28,  
DISTRICT-GURUGRAM, HARYANA

COMPLIANCE REPORT  
DECEMBER 2025

	including results of monitored data on their website and update the same on half-yearly basis.	monitored data on their website as provided <a href="https://www.silverglades.com/compliance.php">https://www.silverglades.com/compliance.php</a>
IV	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	<b>Agreed.</b> A copy of receiving of Environmental compliance is attached as <b>Annexure-XX</b> .
V	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	<b>Agreed.</b> Copy of form V is attached as <b>Annexure-XXI</b> .
VI	The project proponent shall inform the Regional Office as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	<b>Agreed.</b> We are following the same.
VII	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	<b>Agreed.</b>
VIII	The project proponent shall abide by all the commitments and recommendations	<b>Agreed.</b>



	made in the Form-IA and conceptual plan and also that during their presentation to the Expert Appraisal Committee.	
IX	No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forests and Climate (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environmental clearance under EIA notification 2006 if at any stage change of area of this project.	<b>Agreed.</b> We will follow the same.
X	Any change in planning of the approved plan will leads to Environmental Clearance void-ab-initio and PP will have to seek to fresh Environmental Clearance.	<b>Noted.</b>
XI	The PP should give unambiguous affidavit giving land promoters in accordance with your ownership and possession of land legal the case referred for Environment Clearance to SEIAA.	<b>Noted.</b>
XII	Concealing factual data or submission of false/fabricated data may be result in Revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	<b>Noted and Agreed.</b>
XIII	The Ministry/SEIAA may revoke or suspend the clearance, if implementation	<b>Noted.</b>



	of any of the above conditions is not satisfactory.	
XIV	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	<b>Agreed.</b>
XV	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data /information/ monitoring reports.	<b>Agreed.</b> We will extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data /information/ monitoring reports.
XVI	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	<b>Agreed.</b>
XVII	The Project Proponent shall ensure the commitments made in Form-I, Form-1A,	<b>Agreed and is being complied with.</b>



	EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.	
XVIII	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.	<b>Agreed and noted</b>
XIX	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as. Prescribed under Section 16 of the National Green Tribunal Act, 2010.	<b>Not Applicable.</b>
XX	The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.12I/PA2/1900/S.4/97 dated 28.11.1997.	<b>Agreed.</b>
XXI	The project proponent is responsible for compliance of all conditions in Environmental Clearance letter and	<b>Noted and Agreed.</b>



	<p>project proponent cannot absolve himself /herself of the responsibility by shifting it to any contractor engaged by project proponent. Besides the developer/applicant, the responsibility to ensure the compliance of Environmental Safeguards/ conditions imposed in the Environmental Clearance letter shall also lie on the licensee/licensees in whose name/names the license/CLU has been granted by the Town &amp; Country Planning Department, Haryana.</p>	
XXII	<p>The Project Proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.</p>	<p><b>Agreed.</b> We have kept the plinth level of the building blocks sufficiently above the level of the approach road to the Project.</p>
XXIII	<p>The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.</p>	<p><b>Agreed and is being complied with.</b></p>
XXIV	<p>The project proponent shall provide proper road of proper width and proper strength for the project before the start of construction.</p>	<p><b>Agreed.</b> We will be comply with the same.</p>
XXV	<p>The project proponent shall develop complete civic infrastructure of the Residential Plotted colony including internal roads, green belt development,</p>	<p><b>Agreed.</b> We will comply with the same.</p>



	sewerage line, Rain water recharge arrangements, Storm water drainage system, Solid waste management site and provision for treatment of biodegradable waste, STP, water supply line, dual plumbing line, electric supply lines etc. and shall offer possession of the units/flats thereafter.	
XXVI	The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.	<b>Agreed.</b> We will follow the same.
XXVII	The project proponent shall maintain the distance between STP and water supply line.	<b>Noted and Agreed.</b>
XXVII I	The project proponent shall ensure that the stack height is 6 meter more than the <b>highest tower</b> .	<b>Agreed and will be complied with.</b>
XXIX	For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.	<b>Agreed and will be complied with.</b>
XXX	The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapotranspiration data.	<b>Agreed and will be complied with.</b>
XXXI	The Project Proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-	<b>Agreed and will be complied with.</b>

	conditioning and adhesive. Project Proponent shall also provide Halon free fire suppression system.	
XXXII	Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.	<b>Agreed and will be complied with.</b>
XXXII I	All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.	<b>Agreed and will be complied with.</b>
XXXI V	The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.	<b>Agreed and will be complied with.</b>
XXXV	The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.	<b>Agreed.</b>
XXXV I	The validity of this environment clearance letter is valid up to 7 years from the date of issuance of EC letter. The environment clearance conditions applicable till life space project in case of Residential project will continue to apply. The resident welfare	<b>Agreed.</b> The resident welfare association/Housing co-operative societies is responsible to comply conditions laid down in EC.




**EXPANSION OF GROUP HOUSING PROJECT  
AT VILLAGE- SUKHLALI, SECTOR-28,  
DISTRICT-GURUGRAM, HARYANA**

**COMPLIANCE REPORT  
DECEMBER 2025**

	association/Housing co-operative societies shall responsible to comply conditions laid down in EC. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project.	
XXXV II	If project is not completed within the validity period, then the project proponent shall submit the application for extension of validity within one month before the lapse of validity period of Environment Clearance i.e. 7 years.	<b>Agreed and will be complied with.</b>
XXXV III	The project proponent should intimate to the Authority well before shifting their address of communication.	<b>Agreed and will be complied with.</b>



N 



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र  
 Permission letter by  
 Concerned Divisional Forest Officer  
 हरियाणा सरकार / Government of Haryana

गैर-वन भूमि पर वृ. ए.ल. पी. ए. 1900 की यू/एस 4 के लिए वृक्ष कटाई और वृक्ष ट्रांजिट/ प्रत्यारोपण अनुमति।  
 Permission for tree felling and tree transit/transplantation on Non-Forest Land U/s 4 of PLPA 1900.

नाम Name	हार्ष कुमार गुप्ता Harsh Kumar Gupta
पिता का नाम Father's Name	Vinod Kumar
वर्तमान पता Current Address	Project Hightown, Opposite To Labrunum, Sector 28,gurugram
भूमि स्थान Land Location	Gurgaon , Gurgaon (Haryana),
भूमि मापन Land Measurements	4.85(Acre)
खसरा/ प्लाट नम्बर Khasra/ Plot Number	Hightown Project, Opposite To Labrunum
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):- Q91-A16-8GGR

जारी करने की तिथि / Date of Issuance: 05-08-2021

जारी करने का स्थान / Place of Issuance: Gurgaon

जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan.)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below

<https://164.100.137.243/eservices/mobileapi/verify/forest/Q91A168GGR>





प्रभागीय वन अधिकारी द्वारा अनुमति पत्र  
 Permission letter by  
 Concerned Divisional Forest Officer  
 हरियाणा सरकार / Government of Haryana



गैर-वन भूमि पर पी. एल. पी. ए. 1900 के लिए वृक्ष कटाई और वृक्ष ट्रांजिट/प्रत्यारोपण अनुमति।

Permission for tree felling and tree transit/transplantation on Non-Forest Land U/s 4 of PLPA 1900.

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Shisham	0	0	0	1	0	1	0	0	2	3.96
Bakain (exempted)	0	0	1	0	0	0	0	0	1	0.57
<b>Total</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>4.53</b>

जारी करने की तिथि / Date of Issuance: 05-08-2021  
 जारी करने का स्थान / Place of Issuance: Gurgaon  
 जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below

<https://164.100.137.243/eservices/mobileapi/verify/forest/Q91A168GGR>




प्रभागीय वन अधिकारी द्वारा अनुमति पत्र  
Permission letter by  
Concerned Divisional Forest Officer  
हरियाणा सरकार / Government of Haryana

मैर-वन नूमि पर पी. एल. पी. ए. 1900 की यू/एस 4 के लिए वृक्ष कटाई और वृक्ष ट्रांजिट/ प्रत्यारोपण अनुमति।  
Permission for tree felling and tree transit/transplantation on Non-Forest Land U/s 4 of PLPA 1900.

Applicant Harsh Kumar Gupta located at village Gurgaon district Gurgaon made  
a proposal to fell trees on this land with Khasra/ Plot number .....  
The report submitted by RFO, Karamvir Malik dated 02-08-2021.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.
2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.
3. No dragging of wood will be permitted.
4. Felling after sun set and before the sun rise will not be permitted.
5. No fire will be allowed.
6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.
7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.
8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.
9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.
10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.
11. No separate permit for timber transit as per Indian Forest Act, 1927 is required within the territory of Haryana.
12. Permission Granted For Felling Of Trees As Per Abstract. This Permission Is Valid For Three Months From The Date Of Issuance.



Date: 05-08-2021  
Place: Gurgaon

Rajeev Tejyan,  
(Divisional Forest Officer)


This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below

<https://164.100.137.243/eservices/mobileapi/verify/forest/Q91A168GGR>

	AREA (SQMT.)	AVE. LENGTH (M)	AVE. WIDTH (M)	SPACING (M)	NO. OF TREES
LAWN	LW1	290	19	10	10
	LW2	90	20	4.5	10
	LW3	203	35	5.8	10
	LW4	100	20	5	10
	LW5	180	30	6	10
	LW6	132	22	6	10
	LW7	150	25	6	10
	LW8	250	25	10	10
	LW9	40	8	5	10
	LW10	40	8	5	10
	LW11	40	8	5	10
	LW12	60	15	4	10
	LW13	140	18	10	10
	LW14	240	30	8	10
	LW15	40	8	5	10
	LW16	50	10	5	10
PERIMET	PP1	40	20	2	2
	PP2	240	120	2	2
	PP3	74	37	2	2
	PP4	234	117	2	2
	PP5	128	64	2	2
	PP6	112	36	2	2
	PP7	82	41	2	2
	PP8	148	74	2	2
AVENS	AV1	30	10	3	3
	AV2	30	15	2	4
	AV3	30	10	3	3
	AV4	30	15	2	4
SPECIAL PLANTINGS	SP1	20	15	5	2
	SP2	20	15	5	2
TOTAL GREEN AREA = 4953.80 SQMT.					
TOTAL NO. OF TREES = 713					

## GREEN AREA DETAILS

**TOTAL GREEN AREA = 4951.80 SQ.MT.** **TOTAL NO. OF TREES =** 713



## GREEN AREA CALCULATION

PLOT AREA = 19627.25 SQMTS.  
PROPOSED GREEN AREA (25.24%) = 4953.8 SQMTS  
PERMISSIBLE NO. OF TREES = PLOT AREA /80 = 245  
PROPOSED NO. OF TREES = 713  
LAWN AREA = 2045 SQMT  
PERIPHERY PLANTATION AREA = 1058 SQMT  
GREEN BELT PLANTATION AREA = 1730.80 SQMT  
AVENUE AREA = 120 SQMT

## 100% area break-up

<b>Total Plot Area</b>	<b>19,627.25 m<sup>2</sup></b>	<b>100%</b>
Ground Coverage	8,393.06 m <sup>2</sup>	42.76 %
Green Area	4,953.80m <sup>2</sup>	25.24 %
Surface Parking	276 m <sup>2</sup>	1.40 %
Road and Paved Area	5,804.39m <sup>2</sup>	29.59 %
OWC Area	200 m <sup>2</sup>	1.01 %

Sign & Stamp		
		
KEY PLAN		
		
		
PROJECT	NAME & ADDRESS	
APPROVAL OF REVISED BUILDING PLANS OF RESIDENTIAL GROUP B HOUSING COLONY UNDER TRANSIT ORIENTED DEVELOPMENT (TOD) POLICY FOR MIX LAND USE COLONY (70% RESIDENTIAL+30%COMMERCIAL) MEASURING 4.85 ACRES (LICENCE NO. 110 OF 2013 DATED 27.12.2013) IN SECTOR - 28, GURUGRAM MANESAR URBAN COMPLEX BEING DEVELOPED BY SILVERGLADES INFRASTRUCTURE Pvt. Ltd.		
CLIENT	NAME & ADDRESS	
<b>GROUP SILVERGLADES</b> 5th FLOOR, TIME SQUARE BUILDING, B-BLOCK, SUSHANT LOK, PHASE-1, GURUGRAM - 122002, HARYANA, INDIA		
ARCHITECT'S	SIGN & STAMP	CLIENT'S SIGN & STAMP
		
DRAWING	TITLE	
<b>LANDSCAPE PLAN</b>		
SCALE	DRAWING NO.	NORTH
DATE	<b>003</b>	

**STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA**  
**Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.**

**Tel: 0172-2565232**  
**E-mail Id: seiaa.hry@gmail.com**

No. SEIAA(126)/HR/2021/ 118

Dated: 01/01/2021

To

**M/s Silverglades Infrastructure Pvt. Ltd,  
5th Floor, Time Square Building, B Block,  
Sushant Lok-I, Gurugram 122002  
E-mail ID: cs@silverglades.com**

**Subject: Environment Clearance for Expansion of Group Housing Project at Village Sukhrali, Sector-28, District Gurugram, Haryana.**

[1] This letter is in reference to your application dated 01.07.2020 addressed to **Member Secretary, SEIAA**, Haryana received on 28.07.2020 and subsequent letter dated 16.10.2020 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MoEF & CC, GoI vide their Notification dated 30.01.2019, in its meeting held on 16.10.2020 awarded “Gold” rating / grading to the Project.

[2] It is inter-alia, noted that the project involves the Expansion of Group Housing Project at Village Sukhrali, Sector-28, District Gurugram, Haryana. The details of the Project are as given below:

<b>Sr. No.</b>	<b>Particulars</b>	<b>Existing</b>	<b>Expansion</b>	<b>Total Area (Sq. m)</b>
1.	Online Proposal Number		SIA/HR/MIS/163815/2020	
2.	Latitude	28° 28" 20.53 N	28° 28" 20.53 N	28° 28" 20.53 N
3.	Longitude	77° 04" 30.83 E.	77° 04" 30.83 E.	77° 04" 30.83 E.
4.	Plot Area	19,627.25 Sq.m	Nil	19,627.25 Sq.m
5.	Net Plot Area	19,627.25 Sq.m	Nil	19,627.25 Sq.m
6.	Proposed Ground Coverage	6,504.69 Sq.m	+ 1,888.37 Sq.m	8,393.06 Sq.m
7.	Proposed FAR	70,475.21 Sq.m	+ 528.47 Sq.m	71,003.68 Sq.m
8.	Non FAR Area	48,269.04 Sq.m	+ 2,554.97 Sq.m	50,824.01 Sq.m
9.	Total Built Up area	1,18,744.25 Sq.m	+ 3,083.44 Sq.m	1,21,827.69 Sq.m
10.	Total Population	7882 Persons		
11.	Total Green Area with %	4,953.80 (@25.24% Plot area)	Nil	4,953.80 (@25.24% Plot area)
12.	Rain Water Harvesting Pits (with size)	05 No's	Nil	05 No's (98.12 m <sup>3</sup> )
13.	Total Parking	1180 ECS	-374 ECS	806 ECS
14.	Organic Waste Converter	01 no's	Nil	01 no's

15.	Maximum Height of the Building (m)	102.75 m	+ 7.05 m	109.80 m
16.	Power Requirement	4,920.21KW	Nil	4,920.21KW
17.	Power Backup	7,360 kVA (3DG sets of 1010kVA, 1500 kVA & 415kVA for phase I & 3 DG sets of 500, 1500,415 kVA for phase II)	-50 kVA	7,310 kVA (4DG sets of 1,500 kVA, 810 kVA & 500 kVA)
18.	Total Water Requirement	383 KLD	+57 KLD	440 KLD
19.	Domestic Water Requirement		293 KLD	
20.	Fresh Water Requirement	180 KLD	+3 KLD	183 KLD
21.	Treated Water	211 KLD	+19 KLD	230 KLD
22.	Waste Water Generated	234 KLD	+22.4 KLD	256.4 KLD
23.	STP Capacity	280 KLD	-	300 KL
24.	Solid Waste Generated	1,817 kg/day	226 kg/day	2,043 kg/day
25.	Biodegradable Waste	1,090 kg/day	136 kg/day	1,226 kg/day
26.	Number of Towers	06	-03	03
27.	Dwelling Units/ EWS	Main Units = 274 EWS units = 48 Service Unit = 221	Main Units = -14 EWS units = -2 Service Unit = -221	Main Units = 260, EWS units = 46
28.	Basement	05	-02	03
29.	Community Center/ Club Area	Present	Present	Present
30.	Stories	S+28	Nil	G+28
31.	R+U Value of Material used (Glass)	3.11 w/m <sup>2</sup> -oC.	3.11 w/m <sup>2</sup> -oC.	3.11 w/m <sup>2</sup> -oC.
32.	Total Cost of the project:	524.51 Cr	Nil	524.51 Cr
33.	CER	5.24 Cr	Nil	5.24 Cr
34.	Incremental Load in respect of:	i) PM <sub>2.5</sub> ii) PM <sub>10</sub> iii) SO <sub>2</sub> iv) NO <sub>2</sub> v) CO	0.008 µg/m <sup>3</sup> 0.008 µg/m <sup>3</sup> 0.022 µg/m <sup>3</sup> 0.189 µg/m <sup>3</sup> 0.070 µg/m <sup>3</sup>	
35.	Construction Phase:	i) Power Back-up ii) Water Requirement & Source iii) STP (Modular) iv) Anti-Smoke Gun	200 kVA 237 ML and STP treated Water. 01 Nil	243 ML and STP treated Water. Nil 01 As per NGT order 01 Anti-smog gun will be provided at site

**ENVIRONMENT MANAGEMENT PLAN COST**

COMPONENT	CAPITAL COST (INR LAKH)	RECURRING COST (INR LAKH/YR)
Sewage Treatment Plant	27.5	6.87
Rain Water Harvesting System	7.50	1.87
Solid Waste Management	3.63	0.90
Environmental Monitoring	9	9
Green Area Development	2.96	0.74
Others (Energy saving devices, miscellaneous)	10	2
CSR/CER Budget/Environmental Budget	524	—
Fund allocated for Wild Life Conservation		
➤ Plantation of trees	2.0	1.0
➤ Digging of Ponds	1	0.25
➤ Construction of feeding Platforms and enclosure	1.0	0.25
➤ Awareness Generation	1.5	0.50
➤ Putting artificial nests on trees	0.50	0.50
<b>TOTAL</b>	<b>623</b>	<b>35.0</b>

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of Environmental Clearance for the Project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority in its 126<sup>th</sup> meeting held on 11.12.2020 decided to agree with the recommendations of SEAC to accord necessary Environmental Clearance for the Project under Category 8(a) of EIA Notification 2006 subject to the strict compliance with the following stipulations depicted below:-

**A. Specific conditions:-**

1. Sewage shall be treated in the STP based on latest Technology with tertiary treatment i.e. Ultra Filtration to achieve standards ordered by NGT. The Treated effluent from STP shall be recycled /reused for flushing, DG cooling and Gardening
2. The Project Proponent would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coli forms and other pathogenic bacteria.
3. The PP shall ensure that total 2% of the cost of project shall be spent on EMP Budget. However, the amount and component shown in EMP table above shall also be included for the purpose of 2% amount. The EMP cost on Socio Economic activities shall be used before the commencement of the project & EMP recurring inside the project shall be implemented throughout the operation of the project.
4. The PP shall take preventive measures to control the dust of the excavated soil of basements and implement the reuse, storage plan of soil.
5. The PP shall implement the submitted the Wildlife Activity Plan and Rs.10 lakhs will be spent on various wildlife conservation activities like artificial nests on the trees, digging of ponds, and construction of feeding platforms through Environment Management Plan.
6. The project proponent shall upload the status of compliance of the basic details (given in above tables), stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.

7. The Project Proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
8. Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted in Organic waste convertor. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project will be sent to solid waste dumping site through authorized vendor.
9. Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habilitation being carried out or purpose to be carried out by the project or other agencies in this 05kms radius of the site in different scenarios of space and time
10. No tree cutting has been proposed in the instant project. A minimum of 1 tree for every 80sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 4,953.80 (@25.24% Plot area) shall be provided for Green Area development for whole project.
11. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
12. Consent to establish/operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act, 1981 and the Water (Prevention and control of pollution) Act, 1974.
13. The Approval of the Competent Authority shall be obtained for structural safety of building code due to earthquakes, adequacy of firefighting equipments etc. as per National Building Code including protection measures from lightening etc.
14. The PP shall not carry any construction above or below the Revenue Rasta.
15. The PP shall obtain the Fire NOC from the Competent Authority before taking the occupation of the building.
16. The PP shall install the Eco Friendly Green Transformer based on ester oil to reduce the carbon footprint. The PP shall shift to gas based generator set when the gas is available. The PP shall install APCM for the DG set.
17. The PP shall not give occupation or possession before the water supply and sewage connection permitted by the competent authority.
18. The PP shall not give occupation or possession before the electricity connection permitted by the competent Authority.
19. The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA.
20. The PP shall carry out the quarterly awareness programs for the stakeholders of the commercial colony/project.
21. 5 Rain water harvesting recharge pits for ground water recharging as per the CGWB norms.
22. The PP shall install Digital water level recorder for monitoring the water recharge and carry out quarterly maintenance and cleaning of 5 RWH pits
23. The PP shall provide the Anti smog gun mounted on truck in the project for suppression of dust during construction & operational phase and shall use the treated water.
24. The PP shall take all preventive measures including water sprinkles to control dust during construction and operational phase.
25. The PP shall provide the mechanical ladder for use in case of emergency.
26. Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.

- 27. The extensive studies have been undertaken regarding Traffic flow & Level of Services around the site ascertaining that there would be no adverse effect or impediment in movement of traffic during Construction or Operational phase of upcoming project;
- 28. While carrying out the “Air Dispersion modeling” inbound and outbound vehicles are 92 PCU/hr.) along with the emission and running hours (6 Hr) of DG sets has been considered;
- 29. The running of DG sets/ Captive Power during Construction or Operational phase and fuel to be used would be as per Guidelines of GRAP & NCAP; as per ruling passed by Hon’ble EPCA/NGT that National Clean Air program vide Office Order No. HSPCB/SSC/2020/4320-44 dated 25.06.2020 would be implemented.
- 30. Environment Clearance was obtained from State Environment Impact Assessment Authority (SEIAA), Haryana vide letter no. SEIAA/HR/2018/605 dated 15.06.2018. Temporary structure (site office/store) was constructed at the project site having area 634.85 Sq.m and permission of the same was obtained from the Office of Senior Town Planner, Gurgaon vide Memo No-STP/(G)/2014/332. Further, we would like to inform you that the existing temporary structure is not in accordance to the site plan approved by the Department of Town and Country Planning and will be dismantle. No construction activity has been started for the proposed project. However, a small, digging was done on the auspicious occasion of the Bhumipujan.
- 31. The PP would use only treated water in “Wet Scrubber” and the outgoing water of the scrubber would be filtered/treated & the same will be reused.
- 32. The PP shall install all the necessary retro-fitting to meet out the standards of NCAP/GRAP.

**B. Statutory Compliance:**

- [1] The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority for ground coverage, FAR and should be in accordance with zoning plan approved by Competent Authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- [2] The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- [3] The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- [4] The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- [5] The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board.
- [6] The project proponent shall obtain the necessary permission for drawl of ground water /surface water required for the project from the competent authority.
- [7] A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- [8] All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- [9] The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, the Plastics Waste (Management) Rules, 2016 and Batteries waste (Management Handling Rules2001 as amended in 2020) shall be followed.
- [10] The project proponent shall follow the ECBC Act/ECBC-Rules prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of bylaws of the State Government.

**I. Air Quality Monitoring and Preservation**

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory

Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.

- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub>) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of ultra lowsulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be ultra lowsulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Ultra low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

## **II. Water Quality Monitoring and Preservation**

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. Total fresh water use shall not exceed the proposed requirement as provided in the project details. The per capita supply should adhere to NBC 2016 and CGWA Notification dated 12.12.2018.
- iv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC as well as to SEIAA, Haryana along with six monthly Monitoring Reports.
- v. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.

- vi. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vii. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- viii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- ix. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- x. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xi. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain Water Harvesting pits shall be provided for ground water recharging as per the CGWB norms.
- xii. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xiii. All recharge should be limited to shallow aquifer.
- xiv. No ground water shall be used during construction phase of the project.
- xv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xvi. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xvii. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
- xviii. No sewage or untreated effluent water would be discharged through storm water drains.
- xix. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xx. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxi. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

### **III. Noise Monitoring and Prevention**

- i. Ambient noise levels shall conform to residential area/commercial area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

#### **IV. Energy Conservation Measures**

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency as per ECBC Act, 2017 read with ECBC Rules, 2018 shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also which is in no case should be less than 25% as prescribed.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof R & U-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
- vii. The PP will submit report indicating compliance of each parameter of ECBC requirement and submit quantification saving report for each component.

#### **V. Waste Management**

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic Waste Converter within the premises with a minimum capacity of 0.5 kg /person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.
- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.

- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

## **VI. Green Cover**

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii. A minimum of 1 tree (5' tall) for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

## **VII. Transport**

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b) Traffic calming measures.
  - c) Proper design of entry and exit points.
  - d) Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

## **VIII. Human Health Issues**

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.

- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility for the exiting part and shall comply with the provisions as applicable, regarding Corporate Environment Responsibility for expansion part.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. PP must submit the Balance sheet/Account statement duly attested & signed by the Chartered Accountant showing the dispersal of funds in said schemes along with the "Six Monthly Compliance Report" positively.

#### **X. Miscellaneous**

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal and soft copy of the same to SEIAA, Haryana.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.

- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the form-IA, Conceptual Plan and also that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environmental clearance under EIA notification 2006 if at any stage there is change of area of this project.
- x. Any change in planning of the approved plan will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance
- xi. The PP should give unambiguous affidavit giving land promoters in accordance with your ownership and possession of land legal the case referred for Environment Clearance to SEIAA.
- xii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii. The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiv. The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xvi. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvii. The Project Proponent shall ensure the commitments made in Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.
- xviii. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.
- xix. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- xx. The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.
- xxi. The project proponent is responsible for compliance of all conditions in Environmental Clearance letter and project proponent can not absolve himself /herself of the responsibility by shifting it to any contractor engaged by project proponent. Besides the developer/applicant, the responsibility to ensure the compliance of Environmental Safeguards/ conditions imposed in the Environmental Clearance letter shall also lie on the licensee/licensees in whose name/names the license/CLU has been granted by the Town & Country Planning Department, Haryana.
- xxii. The Project Proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.
- xxiii. The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.
- xxiv. The project proponent shall provide proper rasta of proper width and proper strength for the project before the start of construction.
- xxv. The project proponent shall develop complete civic infrastructure of the Residential Plotted colony including internal roads, green belt development, sewerage line, Rain

Water recharge arrangements, Storm water drainage system, Solid waste management site and provision for treatment of bio-degradable waste, STP, water supply line, dual plumbing line, electric supply lines etc. and shall offer possession of the units/flats thereafter.

xxvi. The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.

xxvii. The project proponent shall maintain the distance between STP and water supply line.

xxviii. The project proponent shall ensure that the stack height is 6 meter more than the highest tower.

xxix. For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.

xxx. The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.

xxxi. The Project Proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project Proponent shall also provide Halon free fire suppression system.

xxxii. Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.

xxxiii. All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.


xxxiv. The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.

xxxv. The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.

xxxvi. The validity of this environment clearance letter is valid up to 7 years from the date of issuance of EC letter. The environment clearance conditions applicable till life space project in case of Residential project will continue to apply. The resident welfare association/Housing co-operative societies shall responsible to comply conditions laid down in EC. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project.

xxxvii. If project is not completed within the validity period then the project proponent shall submit the application for extension of validity within one month before the lapse of validity period of Environment Clearance i.e. 7 years.

xxxviii. The project proponent should intimate to the Authority well before shifting their address of communication.



Chairman,

State Level Environment Impact  
Assessment Authority, Haryana, Panchkula.

Endst. No. SEIAA(126)/HR/2021/

Dated: \_\_\_\_\_/01/2021

A copy of the above is forwarded to the following:

1. Director (IA Division), MoEF & CC, GoI, Indra Paryavaran Bhavan, Zor bagh Road- New Delhi-110003.
2. Regional office, Ministry of Environment, Forests & Climate Change, Govt. of India, Bay's no. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160018.
3. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula.
4. Director General, Town & Country Planning Haryana, Plot No. 3, Sector - 18A, Madhya Marg, Chandigarh- 160018.
5. Concerned File/ Office Copy

- Sd-  
Chairman,

State Level Environment Impact  
Assessment Authority, Haryana, Panchkula.


**HARYANA STATE POLLUTION CONTROL BOARD**


**HSPCB** Gurgaon North Vikas Sadan, 1st Floor, Near DC Court,  
Gurgaon Ph.0124-2332775 Email:-  
hspcbgrn@gmail.com

Website: [www.hrocmmms.nic.in](http://www.hrocmmms.nic.in) E-Mail - [hspcbho@gmail.com](mailto:hspcbho@gmail.com)

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 329962321GUNOCTE9390084

Dated:03/03/2021

To.

M/s : Silverglade Infrastructure Private Limited  
Village Sukhrali Sector 28 Gurugram  
GURGAON  
122001

**Sub. : Grant of consent to Establish to M/s Silverglade Infrastructure Private Limited**

Please refer to your application no. 9390084 received on dated 2021-02-03 in regional office Gurgaon North.

With reference to your above application for consent to establish, M/s Silverglade Infrastructure Private Limited is here by granted consent as per following specification/Terms and conditions.

<b>Consent Under</b>	AIR/WATER
<b>Period of consent</b>	03/03/2021 - 31/01/2028
<b>Industry Type</b>	Building and Construction projects having waste water generation more than 100 KLD in respective of their built-up area
<b>Category</b>	RED
Investment(In Lakh)	52451.0
Total Land Area (Sq. meter)	19627.25
Total Builtup Area (Sq. meter)	121827.6
<b>Quantity of effluent</b>	
1. Trade	0.0 KL/Day
2. Domestic	256.4 KL/Day
Number of outlets	1.0
<b>Mode of discharge</b>	
1. Domestic	-
2. Trade	-
<b>Permissible Domestic Effluent Parameters</b>	
1. BOD	10 mg/l
2. COD	50 mg/l
3. TSS	25 mg/l
4. Total nitrogen	10 mg/l

5. total phosphorus	1 mg/l
6. Faecal choliform (MPN/100 ml) less than	100
7. pH	5.5 9 range
<b>Permissible Trade Effluent Parameters</b>	
1. BOD	0 mg/l
Number of stacks	3
<b>Height of stack</b>	
1. 4 no. of stack to 4 no. of dg sets of 1500 kva each	103.80 m
2. stack to DG set of 500 Kva	103.8 m
3. stack to dg set of 810 kva	103.6 m
<b>Permissible Emission parameters</b>	
1. SPM	150 mg/m <sup>3</sup>
<b>Capacity of boiler</b>	
1. na	0 Ton/hr
<b>Type of Furnace</b>	
1. na	0 na
<b>Type of Fuel</b>	
1. Diesel	0.435 KL/day

*Regional Officer, Gurgaon North*

*Haryana State Pollution Control Board.*

### **Terms and conditions**

1. The industry has declared that the quantity of effluent shall be 256.4 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 256.4 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act,1981 as amended to-date-even before starting trial production

6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.

7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience

8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.

9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.

10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.

12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.

13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.

14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.

15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.

16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.

17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.

18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.

19. That the unit will take all other clearances from concerned agencies, whenever required.

20. That the unit will not change its process without the prior permission of the Board.

21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.

22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.

23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

### **Specific Conditions**

#### **Other Conditions :**

- 1. The project proponent will obtain all necessary clearances from all concerned departments.**
- 2. Project proponent will not change the quantity of domestic effluent/trade effluent/air emission without prior permission of the Board. Project Proponent will obtain prior CTO before starting of production and apply for CTO/ CTE Extension at least 90 days before expiry date of this CTE.**
- 3. Project Proponent will install STP/ETP/ACPM along with the main project.**
- 4. Project Proponent will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules.**
- 5. Project Proponent will comply with the provisions of Water Act, 1974, Air Act, 1981, Solid Waste Management Rules, 2016, Hazardous & Other Waste Management Rules, 2016, Plastic Waste Management Rules, 2016, E-Waste Management Rules, 2016, Battery Managements Rules, C&D Waste Management Rules, 2016& amendments and other applicable environmental legislation.**
- 6. Project Proponent will use only treated effluent supplied from Sewage treatment plant during construction phase of the project**
- 7. That this CTE will not provide any relaxation /benefit from any other Act/Rules/Regulations applicable to the project/land in question.**
- 8. Project Proponent will not discharge any type Treated or untreated effluent outside the premises of the project.**
- 9. Project Proponent will not use in their DG set as a fuel i.e. pet coke, furnace oil and LSHS etc.**
- 10. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants.**
- 11. Effective fugitive emission control measures should be imposed in the process, transportation, parking etc.**
- 12. Encourage use of cleaner fuels (pet coke / furnace oil /LSHS may be avoided).**
- 14. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible.**
- 15. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc.**
- 16. Assessment of carrying capacity of transportation load on the roads inside the industrial premises. If the roads required to be widened, shall be prescribed as a condition.**
- 17. Project Proponent will not discharge any type of effluent inside & outside of the premises of the project and reuse/recycle of treated waste water be ensured.**
- 18. Continuous monitoring of emission and effluent quality / quantity to be installed & will connect the same with server of CPCB and HSPCB.**
- 19. A detailed water harvesting plan may be submitted by the project proponent.**
- 20. Project Proponent will achieve zero discharge and install latest technology of STP/ETP and reuse/recycle of treated effluent.**
- 24. Monitoring of compliance of EC conditions may be submitted with third party audit every year.**
- 25. Project Proponent will dispose off their waste/spent oil of DG sets only to authorize recyclers by the HSPCB.**
- 26. The % of the CER may be least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.**
- 27. Project proponent will comply all the directions of CPCB in this regard and will comply all the orders issued by any court in this regard.**
- 29. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.**
- 31. CTE so granted is on the basis of detail submitted by the unit in online application, CTE granted will be without prejudice to any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation is observed at any stage.**
- 32. At any stage, if any violation observed of any above conditions at any time, this CTE stands cancelled /revoked & further action will be taken as per law if any violation is observed at any stage.**


Date: 01 March, 2018

**TO WHOM SO EVER IT MAY CONCERN**

The structural design has been found to be in order and safe for "**Proposed Building Plans of Group Housing Colony area measuring 4.85 acres (Licence No. 110 of 2013 dated 27.12.2013) in Sector – 28, Gurgaon Manesar Urban Complex**" being developed by **Sh. OM PARKASH AND OTHER COLLABORATION WITH SILVERGLADES INFRASTRUCTURE PVT. LTD**

The design is in accordance with the provisions of the National Building Code and the relevant Indian Standard Codes (with Seismic earthquake Zone IV and latest amendments) including Indian Standards Codes for structure resistant to earthquakes and other natural hazards. The local soil conditions, its load bearing capacity and the underground water table etc. have been kept in view while designing the same.

Signature of Registered Engineer :



Name of Registered Engineer :

Dr. Vinod Jain



Registration No. of Registered Engineer : M-118865-2

Address of Registered Engineer : C-35, Pamposh Enclave, Greater Kailash – 1, New Delhi - 110048

Indian Institute of Technology  
Delhi

Upon the recommendation of the Senate  
hereby confers the degree of

Master of Technology  
in

*Structural Engineering*

on *Vineet Kumar Jain*

who has successfully completed in the year 1992 the  
requirements prescribed under the regulations for the award  
of this degree.

Given this day under the seal of the Institute at Delhi  
in the Republic of India.

The 23rd July, 1993.

*Malik Ganj*  
\_\_\_\_\_  
Director &  
Chairman, Senate  
\_\_\_\_\_  
Chairman  
Board of Governors



# भारतीय प्रौद्योगिकी संस्थान दिल्ली

अभिषद की अनुशंसा पर

विद्या वाचस्पति

की उपाधि एतद्वारा

विनोद कुमार जैन

को प्रदान करता है।

शोध-प्रबन्ध शीर्षक : बिहेयियर ऑफ फाइबर रिइन्फोर्ड कन्क्रीट अन्डर साइक्लिक ऐन्ड फटीग लोडिंग।  
भारतीय गणराज्य के अन्तर्गत दिल्ली में आज, दिनांक 12 अगस्त 2006 को संस्थान की मुद्रा अंकित यह उपाधि दी गई।

## Indian Institute of Technology Delhi

Upon the recommendation of the Senate hereby confers the degree of

Doctor of Philosophy


on

VINOD KUMAR JAIN

Thesis title : BEHAVIOUR OF FIBRE REINFORCED CONCRETE UNDER CYCLIC AND FATIGUE LOADING.


Given this day, the 12<sup>th</sup> of August 2006, under the seal of the Institute at Delhi in the Republic of India.

  
अध्यक्ष, अभिशासक परिषद  
Chairman, Board of Governors

  
निदेशक एवं अध्यक्ष, अभियोग  
Director & Chairman, Senate



कुलसचिव  
Registrar



The Institution of Engineers (India)

0002276

M118865-2



This Diploma is granted to

**VINOD JAIN**


who was elected as


**Member**

on the **thirtieth** day of **November** **1999**

In witness whereof the said Institution has caused its Common Seal to be

affixed this **Eighth** day of **February** **2000**



  
A.C. Thakur  
Member of Council

Secretary and Director General

From : Fire Station Officer  
 MC Gurgaon  
 To : M/s Silverglades Infrastructure Pvt Ltd  
 Sector 28 Gurugram  
 Memo No. FS/2021/139 dated : 22/12/2021

Subject : Approval of fire fighting scheme 15 mtrs. and Above from the fire safety point of view for Mixed Occupancy at meas. 4.85 acres in Sector 28, Gurugram of M/s Silverglades Infrastructure Pvt. Ltd. :

Reference your Transaction Id 050262123004321 dated: 04/12/2021 on the subject cited above.

Your case for the approval of fire fighting scheme has been examined by the team of Fire Station Officers, Gurgaon Sector-29. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines. Therefore your proposed fire fighting scheme is hereby approved as per following detail from the fire safety point of view with the following conditions:-

Tower Name	Floor Detail	Terrace Height of Last Livable Floor (In Meters)	Ground Coverage
Residential Block- A	G to 28	103.80 Mt.	1851.317 Sq. Mt.
Residential Block- B	G to 26	96.85 Mt.	613.01 Sq. Mt.
Residential Block- C	G to 26	96.85 Mt.	643.43 Sq. Mt.
Commercial	G to 09	39.75 Mt.	4941.80 Sq. Mt.
EWS	S to 05	18.40 Mt.	346.00 Sq. Mt.

Tower Name	Basement Level	Basement Area	Basement Remarks
	Basement- 01	9328.00 Sq. Mt.	Residential Block- A,B & C
	Basement- 02	9328.00 Sq. Mt.	Residential Block- A,B & C
	Basement- 01	5971.00 Sq. Mt.	Commercial, Block-C & EWS
	Basement- 02	5971.00 Sq. Mt.	Commercial, Block-C & EWS
	Basement- 03	948.48 Sq. Mt.	Commercial, Block-C & EWS

- 1) The proposed fire fighting scheme is approved as submitted in the building plan subject to the approval of building plan by the competent authority.
- 2) The approval of fire scheme by this office doesn't absolve the firm from his responsibility from all consequences, in case of fire due to any deficiencies or anything left out in the scheme submitted by you.
- 3) Overhead & underground water tanks provided for firefighting shall be so constructed in such a way that the domestic water tank shall be filled from overflow of the fire Water tanks.
- 4) As soon as the installations of fire fighting arrangements are completed, the same may be got inspected/ tested and clearance should be obtained from this office.
- 5) If the infringement of Byelaws remains un- noticed the Authority reserves the right to amend the Plans/Fire Fighting Scheme as and when any such infringement comes to notice after giving an opportunity of being heard and the Authority shall stand indemnified against any claim on this account.
- 6) If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Chapter-III Section 31 Sub-Section 1 & 2 of Fire Act 2009 i.e. imprisonment for a term which may extend to three month or fine which may extend to five thousand rupees or both.
- 7) The staircase shall be made with the specified material enabling it non-slippery.
- 8) If the gap between ceiling and false ceiling is more than 800 mm then upright sprinkler and detectors above false ceiling & pendent sprinkler below false ceiling shall be installed in the building

Remarks:- Application Updated



Deputy Director Technical Fire  
 MC Gurgaon


Exercising the power of Director, Fire Services, Haryana



Digitally signed by GULSHAN  
KALRA  
Date: 2021.12.22 13:28:38 +05:30  
Reason: Digital Verification


## Annexure-VIII

## RAIN WATER HARVESTING PLAN



## LEGEND

RWH PIT (5)



## PROJECT NAME &amp; ADDRESS

APPROVAL OF REVISED BUILDING PLANS OF RESIDENTIAL GROUP  
HOUSING COLONY UNDER TRANSIT ORIENTED DEVELOPMENT  
(TOD) POLICY FOR MIX LAND USE COLONY  
(70% RESIDENTIAL + 30% COMMERCIAL) MEASURING 4.85 ACRES  
(LICENSE No. 110 dated 2013 DATED 27.12.2013) IN SECTOR - 28,  
GURUGRAM MANESAR URBAN COMPLEX BEING DEVELOPED BY  
SILVERGLADES INFRASTRUCTURE Pvt. Ltd.

## CLIENT NAME &amp; ADDRESS

GROUP SILVERGLADES  
5th FLOOR, TIME SQUARE BUILDING,  
SUSHANT LOK, PHASE-1, GURUGRAM - 122002,  
HARYANA, INDIA

## ARCHITECT'S SIGN &amp; STAMP

--	--

## CLIENT'S SIGN &amp; STAMP

--	--

## DRAWING TITLE

RWH PLAN

## SCALE

1:100 ON A1


## DRAWING NO.

## NORTH

## DATE


## 1-12-2019

Network: 11 Nov 2025 12:32:24 GMT+05:30  
28°28'18.755"N 77°4'31.743"E  
Gurugram  
Gurgaon Division  
Haryana



ANTI-SMOG GUH-JU

Network: 11 Nov 2025 09:53:02 GMT+05:30  
28°28'18.815"N 77°4'32.62"E  
Gurugram  
Gurgaon Division  
Haryana



Network time is not synchronized  
28°28'18.683"N 77°4'31.052"E  
Gurugram  
Gurgaon Division  
Haryana



ANTI SMOG GUN


11 Nov 2025 at 12:28:56 PM  
638A, Block A  
Gurugram 122002  
Haryana  
India





Network: 11 Nov 2025 11:53:27 GMT+05:30  
28°28'17.145"N 77°4'30.174"E  
Sector 43  
Gurugram  
Gurgaon Division  
Haryana



Prana Air






Air Quality Monitor



Network: 11 Nov 2025 12:41:50 GMT+05:30  
28°28'17.44"N 77°4'30.178"E  
Sector 43  
Gurugram  
Gurgaon Division  
Haryana

# Air Quality Monitor



Network: 11 Nov 2025 12:04:17 pm IST

Local: 11 Nov 2025 12:04:17 pm IST

28°28'24.828"N 77°4'32.062"E

Gurugram

Gurgaon Division

Haryana



Network: 11-Nov-2025 12:22:25 GMT+05:30  
28°28'16.975"N 77°4'30.444"E  
Sector 43  
Gurugram  
Gurgaon Division  
Haryana



Network: 28 Oct 2025 12:32:52 pm IST  
Local: 28 Oct 2025 12:32:51 pm IST  
28°28'25.367"N 77°4'29.378"E  
Gurugram  
Gurgaon Division  
Haryana



Network: 28 Oct 2025 12:32:43 pm IST

Local: 28 Oct 2025 12:32:43 pm IST

28°28'25.974"N 77°4'29.365"E

Gurugram

Gurgaon Division

Haryana



Network: 11 Nov 2025 12:27:18 GMT+05:30  
28° 28' 17.322"N 77° 4' 30.88"E  
Sector 43  
Gurugram  
Gurgaon Division  
Haryana



Network: 11 Nov 2025 12:14:16 pm IST  
Local: 11 Nov 2025 12:14:15 pm IST  
28°28'21.087"N 77°4'31.456"E  
Gurugram  
Gurgaon Division  
Haryana



Network: 11 Nov 2025 12:03:18 pm IST

Local: 11 Nov 2025 12:03:18 pm IST

28°28'24.719"N 77°4'30.727"E


Gurugram

Gurgaon Division

Haryana



10-28-2025 Tue 14:08:10



28-Camera 01



28-Camera 01



10-28-2025 Tue 14:08:09



28-Camera 01

10-28-2025 Tue 14:08:12



28-Camera 01

10-28-2025 Tue 14:08:10



28-Camera 01

10-28-2025 Tue 14:08:10

10-28-2025 Tue 14:08:08



28-Camera 01

10-28-2025 Tue 14:08:03



28-Camera 01

10-28-2025 Tue 14:08:09



28-Camera 01




10-28-2025 Tue 14:08:10

10-28-2025 Tue 14:08:09



28-IPdome

203.23 k/s



Playback



GPS Map Camera

## Gurugram, Haryana, India

Lth 02 Laburnum North Gate, Laburnum Dr, Block A,  
Sushant Lok Phase I, Gurugram, Haryana 122009, India

Lat 28.472073° Long 77.075363°

18/09/2025 02:53 PM GMT +05:30



Google

Network: 11 Nov 2025 12:04:17 pm IST  
Local: 11 Nov 2025 12:04:17 pm IST  
28°28'24.828"N 77°4'32.062"E  
Gurugram  
Gurgaon Division  
Haryana



Network: 11 Nov 2025 12:04:17 pm IST

Local: 11 Nov 2025 12:04:17 pm IST

28°28'24.828"N 77°4'32.062"E

Gurugram

Gurgaon Division

Haryana



Network: 15 Oct 2025 10:59:24 GMT+05:30  
28°28'20.28"N 77°4'31.8"E  
Laburnum Drive  
Gurugram  
Gurgaon Division  
Haryana



India



Network: 11 Nov 2025 12:10:26 pm IST

Local: 11 Nov 2025 12:10:26 pm IST

28°28'22.478"N 77°4'27.821"E

Gurugram

Gurgaon Division

Haryana



SR  
SARITA ROUSHNI







Network: 11 Nov 2025 12:02:47 pm IST  
Local: 11 Nov 2025 12:02:47 pm IST  
28°28'24.601"N 77°4'29.956"E  
Gurugram  
Gurgaon Division  
Haryana

# HYC READY MIX CONCRETE

Vill. Kherki Daula, Sihl Sikanderpur Road, Gurgaon-122004 (Haryana)

1210

Date 18/09/2025

Sr. No. ..... Site Mobile No. ....  
 Clients ..... Mobile No. ....  
 Site Add. ....

Silver Glades .....  
 Site Add. .... Silver Glades, Gurgaon 901101

T.M. No.	Drivers Name	Out Time	In Time	GRADE	Rate	QTY.	Slumps as Measured at plant
121051	Silver Glades, Gurgaon 901101	12:00:22	12:00:32	M-25	150	1.50	1.50

FOR : HYC READY MIX CONCRETE

Production Incharge

Received By .....

Cube taken .....

123.0	123.0	45.0	45.0	1200
123.0	123.0	45.0	45.0	1200
123.0	123.0	45.0	45.0	1200
123.0	123.0	45.0	45.0	1200

**Pollution Under Control Certificate**

Authorised By :  
Government of Haryana

Form 59

[See rules 115 (2)]

1646

Date : 05/03/2025  
Time : 08:38:14 AM  
Validity upto : 04/03/2026



Certificate Sl. No.:  
Registration No.:  
Date of Registration:  
Month & Year of Manufacturing:  
Valid Mobile Number:  
Emission Norms:  
Fuel:  
PUC Code:  
GSTIN:  
MIL. observation:

HR05501710001663

HR55AR7358

20/Dec/2023

October-2023


\*\*\*\*\*7641

BHARAT STAGE VI

DIESEL

HR0550171

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	0.7	0.59

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

2. Vehicle owners to use the service of PUC operator for PUC test.

3. 20 mm

Clean Haryana, Green Haryana

Penalty under the Motor Vehicles Act, 1988 (under section 119A of the Motor Vehicles Act, 2019) is Rs. 1000/- for every vehicle failing the PUC test.



## FOREST DEPARTMENT, GOVT. OF HARYANA

Office of Dy. Conservator of Forests, Gurgaon

Forest Complex, Sohna Road, Near Court, Gurgaon, Ph. 0124-2322057

No.: 1059 - G

Dated: 11/8/15

To,

M/s Silverglades Infrastructure Pvt. Ltd,  
 (Formerly Known as Silverglen Buildmart Pvt. Ltd)  
 5<sup>th</sup> Floor, Time Square Building, B-Block,  
 Sushant Lok-1, Gurgaon-122002, Haryana

Sub.: Clarification regarding Applicability of forest laws on Non Forest land Applied by M/s Silverglades Infrastructure Pvt. Ltd land located at Village Sukhrali District Gurgaon.

Applicant M/s Silverglades Infrastructure Pvt. Ltd, (Formerly Known as Silverglen Buildmart Pvt. Ltd) 5<sup>th</sup> Floor, Time Square Building, B-Block, Sushant Lok-1, Gurgaon-122002, Haryana vide letter no. Nil dated 04-06-2015 made a request in connection with land measuring 4.85 Acres having Rect No.35 Killa No.16, 17/1, 24/2, 25 Rect No. 39 Killa No. 5, 6 land located at village Sukhrali District Gurgaon. Applicant made a proposal to use this land for Residential Group Housing Purpose. In reference to the information provided by the User Agency in form of facts/ Maps & GPS Co-ordinates and subsequent verification of the provided facts with the available official records & Geo-referencing done of the co-ordinates provided by User Agency on Google Earth the following is made clear that:-

- As per records available above said land is not part of notified Reserved Forest, Protected Forest under Indian Forest Act, 1927 or any area closed under section 4 & 5 of Punjab Land Preservation Act, 1900.
- It is clarified that by the Notification No. S.O.8/P.A. 2/1900/S.4/2013 dated 4th January, 2013, whole Revenue Estate of Gurgaon is notified u/s 4 of PLPA 1900 and S.O.81/PA.2/1900/S.3/2012 dated 19th December, 2012 u/s 3 of PLPA 1900. The area is however not recorded as forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisional Forest Officer, Gurgaon.
- If approach is required from Protected Forest by the user agency, the clearance/regularization under Forest Conservation Act 1980 will be required. Without prior clearance from Forest Department, the use of Forest land for approach road is strictly prohibited. M/s Silverglades Infrastructure Pvt. Ltd whose land is located at village Sukhrali District Gurgaon must obtain clearance as applicable under Forest Conservation Act 1980.
- As per the records available with the Forest Department, Gurgaon, the area does not fall in areas where plantations were raised by the Forest Department under Aravalli project.
- All other statutory clearances mandated under the Environment Protection Act 1986, as per the notification of Ministry of Environment and Forests, Government of India, dated 07-05-1992 or any other Act/order shall be obtained as applicable by the project proponents from the concerned authorities.
- The project proponent will not violate any Judicial Order/ direction issued by the Hon'ble Supreme Court/ High Courts.
- It is clarified that the Hon'ble Supreme Court has issued various judgments dated 07.05.2002, 29.10.2002, 16.12.2002, 18.03.2004, 14.5.2008 etc. pertaining to Aravalli region in Haryana, which should be complied with.
- The aforesaid clarification is for the facts/location maps/GPS Co-ordinates provided by the user agency.

GPS Co-ordinates: (i) 28° 28' 24.50" N 77° 04' 28.25" E (ii) 28° 28' 24.60" N 77° 04' 31.93" E  
 (iii) 28° 28' 20.60" N 77° 04' 28.26" E (iv) 28° 28' 20.70" N 77° 04' 30.20" E  
 (v) 28° 28' 16.80" N 77° 04' 29.60" E (vi) 28° 28' 17.80" N 77° 04' 29.60" E

- It shall be the responsibility of user agency/applicant to get necessary clearances/permissions under various Acts and Rules applicable if any, from the respective authorities/Department.

Date:  
 Place. Gurgaon.



Dy. Conservator of Forests,  
 Gurgaon.

Endst.No. Dated:

A copy is forwarded to:-

1. Conservator of Forests, South Circle, Gurgaon for kind information.
2. D.G. T.C.P, Chandigarh SCU 71-75 2<sup>nd</sup> Floor, Sec-17C, Chandigarh for kind information.
3. Deputy. Commissioner, Gurgaon for kind information & necessary action.
4. Guard File.

*Sd*  
 Dy. Conservator of Forests,  
 Gurgaon

# Gurugram Metropolitan Development Authority

Plot No. 3, Sector 44, Gurugram, Haryana, Pin: 122003

Web site gmda.gov.in

To

Harish Kumar Gupta, Sliverglades Infrastructure Pvt. Ltd  
Sliverglades Infrastructure Pvt. Ltd.5th Floor,  
Time Square Building, B  
Block, Gurugram-122002, Haryana

9810131943  
www.silverglades.com



Date - Wed, 10 Sep 2025

Subject:

Water supply connection of 80 mm dia for Residential Project "High Town (by Silverglades Infrastructure Pvt. Ltd." an area measuring 19627.2536 sqm, License No. 110 of 2013 in Sector No. 28, Gurugram.

Reference: Your application WC-1756220611792 dated 27-Aug-2025 for the subject as above.

In this context, as per your application for water connection to above premises to connect your intake system of boosting /water works through 80 mm i/d pipe line to withdraw potable water as per approved service estimate at one point mentioned in approved plan is hereby sanctioned subject to the following conditions:-

1. The K Number allocated is '25091109', henceforth please use this number for any future correspondence.
2. The connection will be given only from GMDA existing water supply line subject to availability of water in pipe line. Further intake and boosting arrangement will be made by the colonizer at their own expenses.
3. The connection is hereby authorized for supply of bulk water supply in UGT only. Further, arrangement for water supply to individual unit will be made by the colonizer at their own cost as per approved system.
4. The water bill will be raised by Executive Engineer-I, W/S Division, GMDA, Gurugram and the applicant / firm will be whole responsible for the full payment regularly within stipulated period.
5. Installation of self recording electronic water meter and its good performance will be the colonizers responsibility. Total Rs 200000 has been received in GMDA account on dated 09/09/2025 vide reference no GMDAWC68541757145500556 and Rs 200000 has been received in GMDA account on dated 09/09/2025 vide reference no GMDAWC820581757145188319 (Rs. 2,00,000 as water connection security + Rs. 2,00,000 as water connection fees) .
6. ROW permission will be granted by Infra-I, GMDA as per the procedure thereunder with additional charges, if applicable.
7. The connection will be made by the colonizer at their own expenses without disturbing Master

Abhinav Verma  
Executive Engineer-I, W/S Division,  
Gurugram Metropolitan Development Authority

W/S system in presence of representative of GMDA. During making connection if any damage to GMDA service is occurred, the colonizer will be the whole responsible for repair of the same in good condition. If, the colonizer is failed to repair, repair shall be carried by the GMDA and expenditure involved on this account shall be paid by the colonizer otherwise the connection shall be cancelled and disconnected.

8. Water connection should not be already made at site before issuing the permission, failing which will have to pay the previous bills which will be generated as per approved service estimate with imposed penalty. Otherwise, the connection will disconnected without serving any Notice.
9. The electronic as per mechanical water meter alongwith RTU of approved make alongwith power back-up, for remote connection with ICCC of GMDA of reputed make shall be purchased by the colonizer at their own level and got tested from approved lab/ Institution under intimation to GMDA after OK testing, the electronic water meter and its report shall have to be submitted to the Bill Branch, Plot No. 3, Sector-44, GMDA Office, Gurugram for obtaining its clearance to install at site duly sealed by the GMDA in the presence of representative of GMDA.
10. Installation of water meter should in direct approach and be liable to the official deputed for taking / recording reading shown by the water meter.
11. Information regarding the installation of water meter shall be given to the Bill Branch Sec-44, Gurugram in writing and installation of water meter shall be considered from the date of receipt of written information by GMDA.
12. The land cost, Development charges/ Mtc. charges for such colonies shall be liable as per GMDA policy as fixed and decided by GMDA time to time shall be bound for payment of the same well in time.
13. The Mtc. of intake pipes and special repair shall be the colonizers responsibility and his own cost.
14. The water shall be given at the ground level and GMDA will not be responsible for low pressure.
15. The water connection will be utilized and limited for facilities to the land/ area in possession only. The water connection is liable to be disconnected, if any unauthorized connection released from the intake / connection pipe.
16. For any dispute in the connection with the release of water connection, Mtc and disconnection with the said water connection, the matter shall be referred by any of the two parties to the concerned Superintending Engineer (Infra-II), GMDA of the area where the land/ colony is situated and his decision in the matter shall be final and legally binding on both the parties.
17. Colonizer will inform about increase / decrease of discharge, if any in advance.
18. SDE will verify discharge monthly or as deemed fit for verification and water bill shall raised monthly and monthly payment shall be made by the colonizer.
19. In absence of installation of water meter, checking of actual assessment of discharge and verification of the consumption of water shall be made jointly by the representative of GMDA and colonizer based on discharge of pipes and working hours of plants as per entries recorded in log book and water bills so prepared shall be binding upon the colonizer for payment and in case of going water meter out of order, the assessment of discharge and consumption of water shall be made on the basis of average reading of water meter given during previous two months till the replacement of water meter in good performance. If, the defective water meter is not replaced within two months, the connection shall be disconnected without serving any Notice.




**Abhinav Verma**  
**Executive Engineer-I, W/S Division,**  
**Gurugram Metropolitan Development Authority**

20. No Booster/ Suction will be installed directly on the line carrying from GMDA mains and no other connection will be made from the connection main to water storage tank and in case it is ever found, the water connection shall be disconnected without serving any Notice by Executive Engineer-I concerned.
21. GMDA will at the liberty to revise the rates of water charges and colonizer will be liable to pay the revised charges as and when decided by GMDA.
22. You may also ensure that follow the guide lines of N.G.T. as per Honble Supreme Court.
23. This approval is issued subject to the condition that water & adequate water and adequate pressure in line will be available after commissioning of W/S line in that area.
24. It must be ensured that connection at site be done within 90 days from the date of issuing of this letter. After expiry of the date, a fresh application / file for water connection will have to be submitted by the colonizer / licence holder and security and water connection fees will be forfeited.
25. The payment due against the monthly water and sewerage charges towards GMDA may be made within upto due date. After non-payment of dues, the water supply can be stopped and the connection though released can be disconnected without notice.
26. It shall be ensured by the applicant / firm / builder that water consumption shall be as per approved service estimate, if consumption found abruptly on higher side, the connection is liable to be disconnection and security deposited will be forfeited.

A copy of the above is forwarded to the following for information and further necessary action:-

- i) Bill Branch, GMDA, Sec-44, Gurugram



**Abhinav Verma**  
**Executive Engineer-I, W/S Division,**  
**Gurugram Metropolitan Development Authority**


**DAKSHIN HARYANA BIJLI VITARAN NIGAM**  
**Office of the Asstt. Executive Engineer DLF City Sub Division**  
**DHBVN, Sec-31, Gurugram- 122001 (Haryana)**  
**0124-2384755 Website [www.dhbvn.com](http://www.dhbvn.com) Email ID: [sdodlfcity@gmail.com](mailto:sdodlfcity@gmail.com)**

---

To

Silver Glades Infrastructure Private Limited 5<sup>th</sup> Floor,  
 TimeSquare Building,  
 B- Block, Sushant Lok- Phase- I  
 Gurugram-122002

Memo No: 2116

Date 17/01/2020

**Sub: Development of Group Housing Colony, Area measuring 4.85 Acres,**  
**Licence No: 110 of 2013 Dated 27.12.2013, Sector-28, Village Sukhrali,**  
**Gurugram,**

Reference your representation no: nil dated 15.01.2020 on the above subject.

It is hereby assured that the power requirements of approximate load of 4800 KVA shall be considered from the nearest sub-station at the time of actual requirement as per D.H.B.V.N norms and after calculation of ultimate load as per approved layout plan. However the voltage level of the supply will be 11KV from nearby sub-station.

  
 S.D.O  
 DLF City S/ Divn. Sec-31  
 D.H.B.V.N, Gurgaon



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

PALM/NORTH/B/071224/1114861

प्रस्तुति आई | आर एस एम | एन ३४२ | एस्ट्रेन | एन ३४२ | 2024/679/2341-44

### मालिक का नाम एवं पता

M/s Silverglades Infrastructure Pvt Ltd

दिनांक/DATE: 06-08-2024

**OWNERS Name & Address**

404 Nirmal Tower 26 Barakhamba Road New  
Delhi Delhi 110001

वैधता/ Valid Up to: 05-08-2032

## **ऊँचाई की अनुमति हेतु अनापत्ति प्रमाण पत्र (एनओसी) No Objection Certificate for Height Clearance**

1) यह अनापत्ति प्रमाण पत्र भारतीय विमानपत्तन प्राधिकरण (भाविप्रा) द्वारा प्रदत्त दायित्वों के अनुक्रम तथा सुरक्षित एवं नियमित विमान प्रचालन हेतु भारत सरकार (नागर विमानन मंत्रालय) की अधिसचना जी. एस. आर. 751 (ई) दिनांक 30 सितम्बर, 2015, जी. एस. आर. 770 (ई) दिनांक 17 दिसंबर 2020 द्वारा संशोधित, के प्रावधानों के अंतर्गत दिया जाता है।

1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep.2015 amended by GSR770(E) dated 17th Dec 2020 for safe and Regular Aircraft Operations.

2). इस कार्यालय को निम्नलिखित विवरण के अनुसार प्रस्तावित संरचना के तिर्यक पार क्रोड आपसि उम्मी है।

2. This office has no objection to the construction of the proposed structure as per the following details:

अनापत्ति प्रमाणपत्र आईडी / NOC ID	PALM/NORTH/B/071224/1114861
आवेदक का नाम / Applicant Name*	Harsh Kumar Gupta
स्थल का पता / Site Address*	Construction of Residential Group Housing Project for Rect No 35//16, 17/1, 24/2, 25 and Rect No. 39//5, 6 vide License No 110 of 2013 Dated 27.12.2013 area measuring 4.85 acres located at Village Sukhrali Sector 28 Gurugram Haryana 122001, Village Sukhrali, Gurgaon, Haryana
स्थल के निर्देशांक / Site Coordinates*	28 28 20.72N 77 04 28.12E, 28 28 24.59N 77 04 28.12E, 28 28 20.71N 77 04 29.45E, 28 28 16.91N 77 04 29.47E, 28 28 16.81N 77 04 29.67E, 28 28 16.81N 77 04 31.83E, 28 28 21.24N 77 04 31.85E, 28 28 24.64N 77 04 31.87E
स्थल की ऊँचाई एमएसएल मीटर में (औसतन समुद्र तल से ऊपर), (जैसा आवेदक द्वारा उपलब्ध कराया गया) / Site Elevation in mtrs AMSL as submitted by Applicant*	236.94 M
अनुमत्य अधिकतम ऊँचाई एमएसएल मीटर में (औसतन समुद्र तल से ऊपर) / Permissible Top Elevation in mtrs Above Mean Sea Level(AMSL)	348.99 M (Restricted)



# भारतीय विमानपत्तन प्राधिकरण

## AIRPORTS AUTHORITY OF INDIA

PALM/NORTH/B/071224/1114861

\* जैसा आवेदक द्वारा उपलब्ध कराया गया / As provided by applicant\*

3) यह अनापत्ति प्रमाण पत्र निम्नलिखित नियम व शर्तों के अधीन है ।

3. This NOC is subject to the terms and conditions as given below:

क) आवेदक द्वारा उपलब्ध कराए गए स्थल की ऊँचाई तथा निर्देशांक को, प्रस्तावित संरचना हेतु अनुमन्य अधिकतम ऊँचाई जारी करने के लिए प्रयोग किया गया है । भारतीय विमान पत्तन प्राधिकरण, आवेदक द्वारा उपलब्ध कराये गए स्थल की ऊँचाई तथा निर्देशांक की यथार्थता का ना तो उत्तरदायित्व वहन करता है, और ना ही इनको प्रमाणीकृत करता है । यदि किसी भी स्तर पर यह पता चलता है कि वास्तविक विवरण, आवेदक द्वारा उपलब्ध कराए गए विवरण से भिन्न है, तो यह अनापत्ति प्रमाण पत्र अमान्य माना जाएगा तथा कानूनी कार्यवाही की जाएगी । सम्बंधित विमान क्षेत्र के प्रभारी अधिकारी द्वारा एयरक्राफ्ट नियम 1994 (भवन, वृक्षों आदि के कारण अवरोध का विध्वंस ) के अधीन कार्यवाही की जाएगी ।

a. Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates & site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The officer in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994”.

ख) अनापत्ति प्रमाण पत्र के आवेदन में आवेदक द्वारा उपलब्ध कराए गए स्थल निर्देशांक को सड़क दृश्य मानचित्र और उपग्रह मानचित्र पर अंकित किया गया है जैसा कि अनुलग्नक में दिखाया गया है । आवेदक / मालिक यह सुनिश्चित करे कि अंकित किए गए निर्देशांक उसके स्थल से मेल खाते हैं । किसी भी विसंगति के मामले में, नामित अधिकारी को अनापत्ति प्रमाण पत्र रद्द करने के लिए अनुरोध किया जाएगा ।

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, Designated Officer shall be requested for cancellation of the NOC.

ग) एयरपोर्ट संचालक या उनके नामित प्रतिनिधि, अनापत्ति प्रमाण पत्र नियमों और शर्तों का अनुपालन सुनिश्चित करने के लिए स्थल (आवेदक या मालिक के साथ पूर्व समन्वय के साथ) का दौरा कर सकते हैं ।

c. Airport Operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that NOC terms & conditions are complied with.

घ) संरचना की ऊँचाई (सुपर स्ट्रक्चर सहित) की गणना अनुमन्य अधिकतम ऊँचाई (ए एम एस एल) से स्थल की ऊँचाई को घटाकर की जायेगी । अर्थात्, संरचना की अधिकतम ऊँचाई = अनुमन्य अधिकतम ऊँचाई (-) स्थल की ऊँचाई ।

d. The Structure height (including any superstructure) shall be calculated by subtracting the Site elevation in AMSL from the Permissible Top Elevation in AMSL i.e. Maximum Structure Height = Permissible Top Elevation minus (-) Site Elevation.

च) अनापत्ति प्रमाण पत्र जारी करना, भारतीय एयरक्राफ्ट एक्ट 1934 , के सैक्षण 9-A तथा इसके अंतर्गत समय-समय पर जारी अधिसूचनाएं तथा एयरक्राफ्ट नियम (1994 भवन, वृक्षों आदि के कारण अवरोध का विध्वंस) के अधीन है ।

e. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including, “The Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994”.

छ) कोई भी रेडियो/ टीवी एन्टीना, लाइटिंग और स्टर, सीढ़िया, मुमटी, पानी की टंकी अथवा कोई अन्य वस्तु तथा किसी भी प्रकार के संलग्नक उपस्कर पैरा 2 में उल्लेखित अनुमन्य अधिकतम ऊँचाई से ऊपर नहीं जानी चाहिए ।

f. No radio/TV Antenna, lightening arresters, staircase, Mumty, Overhead water tank or any other object and attachments of fixtures of any kind shall project above the Permissible Top Elevation as indicated in para 2.



# भारतीय विमानपत्तन प्राधिकरण

## AIRPORTS AUTHORITY OF INDIA

PALM/NORTH/B/071224/1114861

ज) विमानक्षेत्र संदर्भ बिंदु के 8 KM के भीतर तेल, बिजली या किसी अन्य ईंधन का उपयोग जो उड़ान संचालन के लिए धुएं का खतरा पैदा नहीं करता है, ही मान्य है।

g. Use of oil, electric or any other fuel which does not create smoke hazard for flight operation is obligatory, within 8 KM of the Aerodrome Reference Point

झ) यह प्रमाणपत्र इसके जारी होने की तारीख से 8 साल की अवधि के लिए वैध है, तथा उक्त प्रमाणपत्र जारी करने की तारीख से अधिकतम बारह साल की अवधि के लिए बढ़ाया जाएगा।

h. The certificate is valid for a period of 8 years from the date of its issue & shall be extended for a maximum period of twelve years from the date of its issue.

ट) भवन के निर्माण के दौरान या उसके बाद किसी भी समय स्थल पर ऐसी कोई भी लाइट या लाइटों का संयोजन नहीं लगाया जाएगा जिसकी तीव्रता, आकृति या रंग के कारण वैमानिक ग्राउन्ड लाइटों के साथ भ्रम उत्पन्न हो। विमान के सुरक्षित प्रचालन को प्रभावित करने वाली कोई भी गतिविधि मान्य नहीं होगी।

i. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights.

ठ) आवेदक द्वारा विमानपत्तन पर या उसके आसपास विमान से उत्पन्न शोर, कंपन या विमान प्रचालन से हुई किसी भी क्षति के विरुद्ध कोई शिकायत/दावा नहीं किया जाएगा।

j. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

ঢ) ডে মার্কিং তথা সহায়ক বিদ্যুত আপুর্তি সহিত নাইট লাইটিং (ডীজীসীএ ভারত কী বেবসাইট [www.dgca.nic.in](http://www.dgca.nic.in) পর উপলব্ধ) নাগর বিমানন আবশ্যকতাএ শ্রেণিলা 'বী' পার্ট । সৈকশন-4 কে চৈপ্টর 6 তথা অনুলমক 6 মেঁ বিনির্দিষ্ট দিশানির্দেশো কে অনুসার উপলব্ধ করাই জাএঁগী।

k. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part 1 Section 4, available on DGCA India website: [www.dgca.nic.in](http://www.dgca.nic.in)

ঢ) ভবন কে নকশো কে অনুমোদন সহিত অন্য সম্মত প্রমাণপত্র লেনে কা উদ্দেশ্য সুরক্ষিত এবং নিয়মিত বিমান প্রচালন সুনির্ণিত করনা হৈ তথা ইসে ভূমি কে স্বামিত্ব আদি সহিত কিসী অন্য উদ্দেশ্য/ দাবে কে লিএ দস্তাবেজ কে রূপ মেঁ প্রযোগ নহীঁ কিয়া জা সকতা।

l. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is only to ensure safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

ণ) ইস অনাপত্তি প্রমাণপত্র আইডী কা মূল্যাংকন Chillarki,I.G.I Airport,Rohini Heliport,Safdarjung Airport, Sampla বিমানক্ষেত্রো কে সংবংধ মেঁ কিয়া গয়া হৈ। যহ অনাপত্তি প্রমাণপত্র ভারতীয় বিমান পত্তন প্রাধিকরণ কে বিমানক্ষেত্রো ঔর অন্য লাইসেন্স প্রাপ্ত সিবিল বিমানক্ষেত্রো, জো জী. এস. আর. 751 (ই) জী. এস. আর. 770 (ই) দ্বারা সংশোধিত কে অনুসূচী - III, অনুসূচী - IV (ভাগ- I), অনুসূচী- IV (ভাগ -2; কেবল RCS হৱাই অঞ্চে) ঔর অনুসূচী- VII মেঁ সূচীবদ্ধ হৈ, কে লিএ জারী কিয়া গয়া হৈ।

m. This NOC ID has been assessed with respect to the Chillarki,I.G.I Airport,Rohini Heliport,Safdarjung Airport, Sampla Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as listed in Schedule – III, Schedule – IV(Part-I), Schedule- IV (Part-2: RCS Airports Only) and Schedule-VII of GSR 751(E) amended by GSR770(E)



# भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

PALM/NORTH/B/071224/1114861

त) यदि स्थल रक्षा विभाग के विमान क्षेत्र के अधिकार क्षेत्र में आता है, जैसा कि जीएसआर 751 (ई) की अनुसूची-V में सूचीबद्ध है, तो आवेदक को रक्षा विभाग से अलग से अनापत्ति/प्रमाणपत्र लेना होता है। जीएसआर 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के नियम 13 के अनुसार, आवेदकों को उन स्थलों के लिये, जो जीएसआर 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के अनुसूची- IV (भाग -2; आरसीएस हवाई अड्डों के अलावा) के रूप में सूचीबद्ध बिना लाइसेंस वाले विमान क्षेत्र के अधिकार क्षेत्र में आता है, तो संबंधित राज्य सरकार से भी अनापत्ति प्रमाणपत्र लेने की आवश्यकता है।

n. Applicant needs to seek separate NOC from Defence, if the site lies within the jurisdiction of Defence Aerodromes as listed in Schedule – V of GSR 751 E amended by GSR770(E). As per rule 13 of GSR 751 E amended by GSR770(E), applicants also need to seek NOC from the concerned state government for sites which lies in the jurisdiction of unlicensed aerodromes as listed in Schedule-IV (Part-2; other than RCS airports) of GSR 751 E amended by GSR770(E)

थ) अनापत्ति प्रमाण पत्र (एनओसी) की किसी भी त्रुटि/व्याख्या की स्थिति में अंग्रेजी अनुवाद ही मान्य होगा।

o. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.

द) स्थल की ऊँचाई और/या संरचना की ऊँचाई के किसी भी विवाद में अनुमन्य अधिकतम ऊँचाई एमएसएल में ही मान्य होगी।

p. In case of any dispute with respect to site elevation and/or AGL height, Permissible Top Elevation in AMSL shall prevail.



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

PALM/NORTH/B/071224/1114861

क्षेत्र का नाम / Region Name:

उत्तर/NORTH

पदनामित अधिकारी/Designated Officer

नाम/ पदनाम/दिनांक सहित हस्ताक्षर Name/Designation/Sign with date

द्वारा तैयार Prepared by

द्वारा जांचा गया Verified by

ईमेल आईडी / EMAIL ID : noc\_nr@aai.aero

फोन/ Ph: 011-25653551

U. D. Baruah 06/08/2024  
कृत्यालय दल्ला बरुआ/UTPAL DUTTA BARUAH  
महाप्रबंधक, (एटीएम)/General Manager (ATM)  
उत्तरी क्षेत्र/ Northern Region  
भारतीय विमानपत्तन प्राधिकरण/Airports Authority of India  
एन.ए.टी.एस.कॉम्प्लेक्स, दिल्ली-३७  
NATS Complex/IGI Airport, New Delhi-37

नैवेन जैन  
06/08/2024  
NAVEEN JAIN, DGM(ATM)

Yashwant Sharma  
06/08/2024  
Yashwant Sharma  
(ATM)

ANNEXURE/अनुलग्न

Distance From Nearest Airport And Bearing/निकटतम विमानक्षेत्र से दूरी और बीयरिंग

Airport Name/ विमानक्षेत्र का नाम	Distance (Meters) from Nearest ARP/निकटतम विमानक्षेत्र संदर्भ बिंदु से दूरी (मीटर में)	Bearing(Degree) from Nearest ARP/निकटतम विमानक्षेत्र संदर्भ बिंदु से बीयरिंग (डिग्री)
Chillarki	42335.68	70.19
I.G.I Airport	11147.29	197.76
Rohini Heliport	30912.67	176.09
Safdarjung Airport	17797.63	225.2
Sainpla	45767.33	146.05
NOCID	PALM/NORTH/B/071224/1114861	

क्षेत्रीय मुख्यालय उत्तरी क्षेत्र, पारंचालन कार्यालय पारंसर रंगपुरी, नई दिल्ली - 110037 दरभाष संख्या - 91-11-25653566

Regional headquarter Northern Region, Operational Offices Complex Rangpuri, New Delhi-110 037 Tel: 91-11-25653566




# भारतीय विमानपत्तन प्राधिकरण

## AIRPORTS AUTHORITY OF INDIA


PALM/NORTH/B/071224/1114861

Street View



April 1, 2024

Satellite View



April 1, 2024

सेन्ट्रीब मुख्यालय उत्तरी क्षेत्र, परिवाहन कार्यालय परिमाण रोडप्पी, नई दिल्ली - 110037 दूरभाष संख्या - 91-11-25653566  
Regional headquarter Northern Region, Operational Offices Complex Roypuri, New Delhi-110 037 Tel: 91-11-25653566



**GRC India**

# **GRC INDIA TRAINING & ANALYTICAL LABORATORY**

## **(A unit of Grass Roots Research & Creation India (P) Ltd.)**

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 (OH&S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI) , TC 7501 (Chemical & Biological)

Recognized by Ministry of Environment, Forest & Climate Change (MoEF&CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. – 201301

Phone No.: 0120 – 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)



## **Test Report**

**Report Code: A20250531-096**

**Issue Date: 31.05.2025**

**Issued To:** Expansion of Group Housing Project,  
M/s Silverglades Infrastructure Pvt. Ltd,  
Village –Sukhrali, Sector -28, Gurugram, Haryana.

**Analysis Duration:** 05.05.2025 to 31.05.2025

**Sample Description:** Ambient Air

### **RESULTS**

#### **(Ambient Air Quality Analysis)**

#### **SAMPLING DETAILS**

<b>Sampling Location</b>	:	Project Site
<b>Sample Collected by</b>	:	Mr. Raj Kumar
<b>Sampling Protocol</b>	:	GRC/LAB/STP/AIR/01: 2018
<b>Weather Condition</b>	:	Clear Sky
<b>Sampling Duration</b>	:	24 Hours
<b>Sampling Duration for CO</b>	:	1 Hour
<b>Sampler Installation Height</b>	:	4.0 Meter above Ground Level
<b>Sample Packing &amp; Marking</b>	:	Plastic Bottle/ Zip Polybag & SIPL/MAY/A001-A008

S. No.	Date	Test Parameters				
		Particulate Matter (PM <sub>10</sub> ); $\mu\text{g}/\text{m}^3$	Particulate Matter (PM <sub>2.5</sub> ); $\mu\text{g}/\text{m}^3$	Sulphur Dioxide (SO <sub>2</sub> ); $\mu\text{g}/\text{m}^3$	Nitrogen Dioxide (NO <sub>2</sub> ); $\mu\text{g}/\text{m}^3$	Carbon Monoxide (CO); $\mu\text{g}/\text{m}^3$
		IS 5182 (Part 23): 2006 (RA 2022)	IS 5182 (Part 24): 2019 (RA 2024)	IS 5182 (Part 2/Sec-1): 2001 (RA 2022)	IS 5182 (Part 6): 2006 (RA 2022)	IS 5182 (Part 10): 1999 (RA 2019)
<b>National Ambient Air Quality Standards (2009)</b>		<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>4000</b>
1	03.05.2025	149.1	95.7	8.9	38.7	270
2	06.05.2025	151.6	101.9	8.2	33.2	340
3	10.05.2025	147.1	100.3	7.3	40.0	300
4	13.05.2025	142.7	94.4	8.5	31.1	270
5	17.05.2025	131.3	89.7	8.0	32.5	320
6	20.05.2025	125.2	84.5	8.6	35.8	170
7	23.05.2025	144.4	93.4	8.9	31.3	290
8	26.05.2025	126.6	85.7	7.9	37.8	210

**\*\*End of Report\*\***

**Reviewed By**

**TRAINING & ANALYTICAL LABORATORY**  
Narinder Singh  
Sr. Chemist  
Authorized Signatory  
(Seal & Signature)



**GRC India**

# **GRC INDIA TRAINING & ANALYTICAL LABORATORY**

## **(A unit of Grass Roots Research & Creation India (P) Ltd.)**

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 (OH&S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI) , TC 7501 (Chemical & Biological)

Recognized by Ministry of Environment, Forest & Climate Change (MoEF&CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. – 201301

Phone No.: 0120 – 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)



## **Test Report**

**Report Code: N20250507-096**

**Issue Date: 07.05.2025**

**Issued To:** Expansion of Group Housing Project,  
M/s Silverglades Infrastructure Pvt. Ltd,  
Village –Sukhrali, Sector -28, Gurugram, Haryana.

**Monitoring Data Received On:** 06.05.2025

**Sample Description:** Ambient Noise

### **RESULTS**

#### **(Ambient Noise Monitoring Data)**

#### **SAMPLING DETAILS**

**Date of Monitoring** : 05.05.2025

**Monitoring Done by** : Mr. Raj Kumar

**Monitoring Protocol** : IS 9989: 1981, RA 2023

**Weather Condition** : Clear Sky

**Monitoring Duration** : 24 Hours

S. No.	Location	Zone	Prescribed Limit {Noise Pollution (Regulation & Control) Rules, 2000}; Leq, dB (A)		Observed Value; Leq, dB (A)	
			Day Time*	Night Time**	Day Time*	Night Time**
1	Project Site	Residential Area	55	45	59.9	43.8
* Day Time		6.00 AM to 10.00 PM				
**Night Time		10.00 PM to 6.00 AM				

**\*\*End of Report\*\***



**Narinder Singh  
(Sr. Chemist)  
Authorized Signatory  
(Seal & Signature)**



GRC India

# GRC INDIA TRAINING & ANALYTICAL LABORATORY

## (A unit of Grass Roots Research & Creation India (P) Ltd.)

An ISO 9001:2015, ISO 14001:2015 &amp; ISO 45001:2018 (OH&amp;S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI) , TC 7501 (Chemical &amp; Biological)

Recognized by Ministry of Environment, Forest &amp; Climate Change (MoEF&amp;CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. – 201301

Phone No.: 0120 – 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)

## Test Report

Report Code: GW20250521-096(A)

Issue Date: 21.05.2025

**Issued To:** Expansion of Group Housing Project,  
M/s Silverglades Infrastructure Pvt. Ltd,  
Village –Sukhrali, Sector -28, Gurugram, Haryana.

**Sample Received On:** 05.05.2025**Analysis Duration:** 06.05.2025 to 20.05.2025**Sample Description:** Ground Water

### RESULTS (Water Quality Analysis)

**SAMPLING DETAILS**

<b>Date of Sampling</b>	:	05.05.2025
<b>Sampling Location</b>	:	Project Site
<b>Sample Collected by</b>	:	Mr. Raj Kumar
<b>Sampling Protocol</b>	:	IS 17614 (Part-21): 2021
<b>Weather Condition</b>	:	Clear Sky
<b>Sample Quantity</b>	:	5 Liter
<b>Sample Packing &amp; Marking</b>	:	Plastic Bottle & SIPL/MAY/GW-01

S. No.	Parameters	Units	Requirements (as per IS 10500: 2012, RA 2023)		Results	Test Method
			Desirable Limit	Permissible Limit		
1	Color	Hazen	5	15	<5	IS 3025 (Part-4): 2021
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part-5): 2018
3	Turbidity	NTU	1	5	<1	IS 3025 (Part-10): 2023
4	pH Value	-	6.5-8.5	No Relaxation	7.78	IS 3025 (Part-11): 2022
5	Total Dissolved Solids	mg/l	500	2000	1420	IS 3025 (Part-16): 2023
6	Total Hardness (as CaCO <sub>3</sub> )	mg/l	200	600	390	IS 3025 (Part-21): 2009, RA 2023
7	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	200	600	430	IS 3025 (Part-23): 2023
8	Chlorides (as Cl)	mg/l	250	1000	343	IS 3025 (Part-32): 1988, RA 2019
9	Fluoride (as F)	mg/l	1	1.5	0.63	APHA 24 <sup>th</sup> Ed., 4500F-D: 2024
10	Calcium (as Ca <sup>2+</sup> )	mg/l	75	200	94	IS 3025 (Part-40): 2024
11	Magnesium (as Mg <sup>2+</sup> )	mg/l	30	100	38	IS 3025 (Part-46): 2023
12	Sulphate (as SO <sub>4</sub> )	mg/l	200	400	157	IS 3025 (Part-24/Sec-1): 2022
13	Nitrate (as NO <sub>3</sub> )	mg/l	45	No Relaxation	19	IS 3025 (Part-34/Sec-1): 2023

Reviewed By

Rajul Singh  
S. Chemist  
Authorized Signatory  
(Seal & Signature)

GRC-LAB/QF-039

Rev.:00

Issue Date: 02.07.2018

**Note:** 1.The results indicated only refer to the tested samples and listed parameters and do not endorse any product.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the GRC laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of the GRC laboratory.

4. The MU will be reported in the test report only on the request of customer.

5. The samples received for chemical testing shall be destroyed after 30 days from the date of issue of the report unless specified otherwise and samples for biological testing will be destroyed after 7 days of issue of test report.



GRC India

# GRC INDIA TRAINING & ANALYTICAL LABORATORY

## (A unit of Grass Roots Research & Creation India (P) Ltd.)

An ISO 9001:2015, ISO 14001:2015 &amp; ISO 45001:2018 (OH&amp;S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI), TC 7501 (Chemical &amp; Biological)

Recognized by Ministry of Environment, Forest &amp; Climate Change (MoEF&amp;CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. - 201301

Phone No.: 0120 - 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)

## Test Report

Report Code: GW20250521-096(A)

Issue Date: 21.05.2025

14	Iron (as Fe)	mg/l	1.0	No Relaxation	0.43	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
15	Aluminum (as Al)	mg/l	0.03	0.2	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
16	Copper (as Cu)	mg/l	0.05	1.5	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
17	Manganese (as Mn)	mg/l	0.1	0.3	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
18	Boron (as B)	mg/l	0.5	2.4	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
19	Zinc (as Zn)	mg/l	5	15	0.46	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
20	Selenium (as Se)	mg/l	0.01	No Relaxation	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES-VGA)
21	Arsenic (as As)	mg/l	0.01	No Relaxation	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES-VGA)
22	Cadmium (as Cd)	mg/l	0.003	No Relaxation	<0.001	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
23	Total Chromium (as Cr3+)	mg/l	0.05	No Relaxation	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
24	Cyanide (as CN)	mg/l	0.05	No Relaxation	<0.01	IS 3025 (Part-27/Sec-1): 2021
25	Lead (as Pb)	mg/l	0.01	No Relaxation	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
26	Mercury (as Hg)	mg/l	0.001	No Relaxation	<0.001	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES-VGA)
27	Nickel (as Ni)	mg/l	0.02	No Relaxation	<0.01	APHA 24 <sup>th</sup> Ed., 3120-B: 2023 (ICP-OES)
28	Phenolic Compounds (as C6H5OH)	mg/l	0.001	0.002	<0.001	IS 3025 (Part-43/Sec-1): 2022
29	Anionic Detergent (as MBAS)	mg/l	0.2	1	<0.01	IS 3025 (Part-68): 2019
30	Silica (as SiO2)	mg/l	--	--	5.7	APHA 24 <sup>th</sup> Ed., 4500-SiO2 (C/D): 2023
31	Phosphate (as PO4)	mg/l	--	--	1.2	APHA 24 <sup>th</sup> Ed., 4500-P D: 2023
32	Specific Conductivity	µS/cm	--	--	2130	IS 3025 (Part-14): 2013, RA 2023

\*\*End of Report\*\*

Reviewed By

  
**Rahul Singh**  
 (Sr. Chemist)  
 Authorized Signatory  
 (Seal & Signature)

GRC-LAB/QF-039

Rev.:00

Issue Date: 02.07.2018

**Note:** 1. The results indicated only refer to the tested samples and listed parameters and do not endorse any product.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the GRC laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of the GRC laboratory.

4. The MU will be reported in the test report only on the request of customer.

5. The samples received for chemical testing shall be destroyed after 30 days from the date of issue of the report unless specified otherwise and samples for biological testing will be destroyed after 7 days of issue of test report.



**GRC India**

# **GRC INDIA TRAINING & ANALYTICAL LABORATORY**

## **(A unit of Grass Roots Research & Creation India (P) Ltd.)**

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 (OH&S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI) , TC 7501 (Chemical & Biological)

Recognized by Ministry of Environment, Forest & Climate Change (MoEF&CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. – 201301

Phone No.: 0120 – 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)



## **Test Report**

**Report Code: GW20250510-096(B)**

**Issue Date: 10.05.2025**

**Issued To:** Expansion of Group Housing Project,  
M/s Silverglades Infrastructure Pvt. Ltd,  
Village –Sukhrali, Sector -28, Gurugram, Haryana.

**Sample Received On:** 05.05.2025

**Analysis Duration:** 06.05.2025 to 09.05.2025

**Sample Description:** Ground Water

## **RESULTS**

### **(Water Quality Analysis)**

#### **SAMPLING DETAILS**

<b>Date of Sampling</b>	:	05.05.2025
<b>Sampling Location</b>	:	Project Site
<b>Sample Collected by</b>	:	Mr. Raj Kumar
<b>Sampling Protocol</b>	:	IS 17614 (Part-25): 2022
<b>Weather Condition</b>	:	Clear Sky
<b>Sample Quantity</b>	:	0.5 Liter
<b>Sample Packing &amp; Marking</b>	:	Sterile Glass Bottle & SIPL/MAY/GW-01

<b>S. No.</b>	<b>Parameters</b>	<b>Units</b>	<b>Requirements (as per IS 10500: 2012, RA 2023)</b>	<b>Results</b>	<b>Test Method</b>
1	Total Coliform	MPN/100ml	Shall not be detected in 100 ml Sample	<2 (Not Detected)	IS 15185: 2016, RA 2021
2	<u>E. coli</u>	MPN/100ml	Shall not be detected in 100 ml Sample	<2 (Absent)	IS 15185: 2016, RA 2021

**\*\*End of Report\*\***

**Reviewed By**



**Ajay Kumar Sharma**  
(Sr. Quality Manager)  
Authorized Signatory  
(Seal & Signature)

GRC-LAB/QF-039

Rev.:00

Issue Date: 02.07.2018

**Note:** 1.The results indicated only refer to the tested samples and listed parameters and do not endorse any product.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the GRC laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of the GRC laboratory.

4. The MU will be reported in the test report only on the request of customer.

5. The samples received for chemical testing shall be destroyed after 30 days from the date of issue of the report unless specified otherwise and samples for biological testing will be destroyed after 7 days of issue of test report.



**GRC India**

# **GRC INDIA TRAINING & ANALYTICAL LABORATORY**

## **(A unit of Grass Roots Research & Creation India (P) Ltd.)**

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 (OH&S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI) , TC 7501 (Chemical & Biological)

Recognized by Ministry of Environment, Forest & Climate Change (MoEF&CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. – 201301

Phone No.: 0120 – 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)



## **Test Report**

**Report Code: S20250521-096**

**Issue Date: 21.05.2025**

**Issued To:** Expansion of Group Housing Project,  
M/s Silverglades Infrastructure Pvt. Ltd,  
Village –Sukhrali, Sector -28, Gurugram, Haryana.

**Sample Received On:** 05.05.2025

**Analysis Duration:** 06.05.2025 to 20.05.2025

**Sample Description:** Soil Sample

### **RESULTS** **(Soil Quality Analysis)**

#### **SAMPLING DETAILS**

<b>Date of Sampling</b>	:	05.05.2025
<b>Sampling Location</b>	:	Project Site
<b>Sample Collected by</b>	:	Mr. Raj Kumar
<b>Sampling Protocol</b>	:	GRC/LAB/STP/01: 2018
<b>Weather Condition</b>	:	Clear Sky
<b>Sample Quantity</b>	:	5 Kg (Composite sample)
<b>Sample Packing &amp; Marking</b>	:	Zip Polybag & SIPL/MAY/SQ-01

S. No.	Parameters	Units	Results	Test Method
1.	Texture	-	Sandy Loam	GRC-LAB/STP-SOIL/22; 2018
2.	Particle Size Distribution	-		IS 2720 (Part-4): 1985, RA 2020
	Sand	%	64.3	
	Silt	%	17.4	
	Clay	%	18.3	
3.	pH (1:2 Suspension)	-	7.81	IS 2720 (Part-26): 1987, RA 2021
4.	Electrical Conductivity (1:2 Suspension)	µS/cm	413	IS 14767: 2000, RA 2021
5.	Moisture Content	%	7.1	IS 2720 (Part-2): 1973, RA 2020
6.	Cation Exchange Capacity (CEC)	meq/100gm	13.8	IS 2720 (Part-24): 1976, RA 2020
7.	Available Potassium (as K)	mg/kg	89	GRC-LAB/STP-SOIL/07; 2018
8.	Exchangeable Sodium (as Na)	mg/kg	167	GRC-LAB/STP-SOIL/06; 2018
9.	Exchangeable Calcium (as Ca)	mg/kg	2021	GRC-LAB/STP-SOIL/08; 2018
10.	Exchangeable Magnesium (as Mg)	mg/kg	328	GRC-LAB/STP-SOIL/08; 2018
11.	Sodium Absorption Ratio (SAR)	meq/kg	0.91	GRC-LAB/STP-SOIL/19; 2018

**Reviewed By**

**Narendra Singh**  
(Sr. Chemist)  
Authorized Signatory  
(Seal & Signature)

GRC-LAB/QF-039

Rev.:00

Issue Date: 02.07.2018

**Note:** 1.The results indicated only refer to the tested samples and listed parameters and do not endorse any product.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the GRC laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of the GRC laboratory.

4. The MU will be reported in the test report only on the request of customer.

5. The samples received for chemical testing shall be destroyed after 30 days from the date of issue of the report unless specified otherwise and samples for biological testing will be destroyed after 7 days of issue of test report.



**GRC India**

# **GRC INDIA TRAINING & ANALYTICAL LABORATORY**

**(A unit of Grass Roots Research & Creation India (P) Ltd.)**

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 (OH&S) Certified

NABL Accredited Laboratory (A Constituent Board of QCI) , TC 7501 (Chemical & Biological)

Recognized by Ministry of Environment, Forest & Climate Change (MoEF&CC, GOI) under the E(P) Act, 1986

Head Office: F-375, Sector-63, Noida, Gautam Budh Nagar, U.P. – 201301

Phone No.: 0120 – 4044630, Website: <https://www.grc-india.com>; E-mail : [lab@grc-india.com](mailto:lab@grc-india.com); [info@grc-india.com](mailto:info@grc-india.com)



## **Test Report**

**Report Code: S20250521-096**

**Issue Date: 21.05.2025**

12.	Organic Matter	%	0.65	IS 2720 (Part-22): 1972, RA 2020
13.	Total Nitrogen (as N)	mg/kg	46	IS 14684: 1999, RA 2019
14.	Total Phosphate (as PO <sub>4</sub> )	mg/kg	6.1	USEPA Method 365.3: 1978
15.	Iron (as Fe)	mg/kg	3.8	USEPA Method 3051-A (Rev.-01): 2007
16.	Zinc (as Zn)	mg/kg	2.5	USEPA Method 3051-A (Rev.-01): 2007
17.	Copper (as Cu)	mg/kg	1.4	USEPA Method 3051-A (Rev.-01): 2007
18.	Boron (as B)	mg/kg	1.8	USEPA Method 3051-A (Rev.-01): 2007
19.	Manganese (as Mn)	mg/kg	11.9	USEPA Method 3051-A (Rev.-01): 2007
20.	Water Holding Capacity	%	25.6	GRC-LAB/STP-SOIL/13; 2020
21.	Permeability at 27°C	cm/sec	2.4	IS 2720 (Part-17): 1986, RA 2021
22.	Porosity	%	40.1	GRC-LAB/STP-SOIL/20; 2020
23.	Bulk Density	gm/cm <sup>3</sup>	1.33	GRC-LAB/STP-SOIL/12; 2018

**\*\*End of Report\*\***

  
Reviewed By



**Narendra Singh**  
(Sr. Chemist)  
Authorized Signatory  
(Seal & Signature)

GRC-LAB/QF-039

Rev.:00

Issue Date: 02.07.2018

**Note:** 1.The results indicated only refer to the tested samples and listed parameters and do not endorse any product.

2. This certificate shall not be reproduced wholly or in part without prior written consent of the GRC laboratory.

3. This certificate shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of the GRC laboratory.

4. The MU will be reported in the test report only on the request of customer.

5. The samples received for chemical testing shall be destroyed after 30 days from the date of issue of the report unless specified otherwise and samples for biological testing will be destroyed after 7 days of issue of test report.


Network: 15 Oct 2025 10:59:24 GMT+05:30  
28°28'20.28"N 77°4'31.8"E  
Laburnum Drive  
Gurugram  
Gurgaon Division  
Haryana



Network: 11 Nov 2025 12:04:17 pm IST  
Local: 11 Nov 2025 12:04:17 pm IST  
28°28'24.828"N 77°4'32.062"E  
Gurugram  
Gurgaon Division  
Haryana



# DUAL PLUMBING PLAN



## LEGEND

	SEWERAGE LINE
	SEWERAGE MANHOLE
	DOMESTIC WATER SUPPLY LINE
	MUNICIPAL WATER SUPPLY LINE

PROJECT NAME & ADDRESS  
APPROVAL OF REVISED BUILDING PLANS OF RESIDENTIAL GROUP HOUSING COLONY UNDER TRANSIT ORIENTED DEVELOPMENT (TOD) POLICY FOR MIX LAND USE COLONY (70% RESIDENTIAL+30%COMMERCIAL) MEASURING 4.85 ACRES (LICENSE No. 110/0301 DATED 27.12.2013) IN SECTOR - 28, GURUGRAM MANESAR URBAN COMPLEX BEING DEVELOPED BY SILVERGLADES INFRASTRUCTURE Pvt. Ltd.

CLIENT NAME & ADDRESS  
GROUP SILVERGLADES  
5th FLOOR, TIME SQUARE BUILDING, B-BLOCK,  
SUSHANT LOK, PHASE-1, GURUGRAM - 122002,  
HARYANA, INDIA

ARCHITECT'S SIGN & STAMP | CLIENT'S SIGN & STAMP

DRAWING TITLE  
Site Plan (PHE)

SCALE DRAWING NO. NORTH  
DATE  
01-12-20

# Gurugram Metropolitan Development Authority

Plot No. 3, Sector 44, Gurugram, Haryana, Pin: 122003

Web site gmda.gov.in

To

Harish Kumar Gupta  
Sliverglades Infrastructure Pvt. Ltd.5th Floor,  
Time Square Building, B  
Block,Gurugram-122002, Haryana



Subject:

Storm Water Drainage connection of 400 mm dia for Project  
"High Town (by Silverglades Infrastructure Pvt. Ltd." an  
area measuring 19627.2536 sqm, License No. 110 of 2013 in  
Sector No. 28, Gurugram.

Date - Fri, 26 Sep 2025

Reference: Your application SWDC-1757604157089 dated 11-Sep-2025 for the subject as above.

On above cited subject, as per your application for Storm Water Drainage connection to above premises to connect your intake Strom Water Drainage System of GMDA is approved as per plan subject to the following conditions:-

1. The connection will be given only from GMDA existing storm water Drain subject to availability of storm water drainage system and further connection will be made by you at your own expenses.
2. Road cut fees will be deposited in future if required as per GMDA by laws. In case of road crossing required for connecting with GMDA line, permission for trenchless connection is to be seek from Infra-I, GMDA by applying online on GMDA portal and additional charges will be applicable as per GMDA by laws.
3. The connection will be made by the colonizer at their own expenses without disturbing Master Storm Water Drainage system in presence of representative of GMDA Dept. During making connection if any damage to GMDA service is occurred, the colonizer will be the whole responsible for repair of the same in good condition. If, the colonizer is failed to repair, repair shall be carried by the Dept. and expenditure involved on this account shall be paid by the colonizer otherwise the connection shall be cancelled and disconnected.
4. Storm Water Drainage connection should not be made at site before issuing the required permissions.
5. Information regarding the installation of Storm Water Connection shall be given to this office in writing and installation of Storm Water Drainage connection shall be considered from the date of receipt of written information by GMDA.
6. The Maintenance of storm water connection and special repair shall be the colonizers responsibility at his own cost.
7. For any dispute in the connection with the release of storm water drainage connection, Maintenance and disconnection with the said storm water drainage connection, the matter shall be referred by any of the two parties to the concerned Superintending Engineer (Infra-II), GMDA of

**Vikram Singh**  
**Executive Engineer, Drainage Division,**  
**Gurugram Metropolitan Development Authority**

the area where the land/ colony is situated and his decision in the matter shall be final and legally binding on both the parties.

8. Colonizer will inform about increase / decrease of discharge if any in advance.
9. Checking of actual assessment of discharge and verification shall be made jointly by the representative of Dept. and colonizer based on discharge of pipes / area.
10. The sanction of storm water drainage connection is for disposal of storm water only, if sewerage flow is observed at any point of time, legal action by HSPCB under the provision of environmental protection act,1986 amended up to date and water (prevention and abatement of pollution act 1973 ) will be taken.
11. GMDA will at the liberty to revise the rates of drainage charges and colonizer will be liable to pay the revised charges as and when decided by GMDA.
12. You may also ensure that the guide lines of N.G.T. as per Honble Supreme Court will be followed.
13. This approval is issued subject to the condition that you will abide by all the rules & regulations for disposal of Storm Water/Rain Water.

A copy of the above is forwarded to the following for information and further necessary action:-

- i) Draftsman Division-III, Drainage, GMDA, Gurugram



**Vikram Singh**  
**Executive Engineer, Drainage Division,**  
**Gurugram Metropolitan Development Authority**

# Silverglades Infrastructure Private Limited

Corp. Office: 504, 5th Floor, Time Square Building, B Block, Sushant Lok-I, Gurugram-122002, Haryana

CIN :-U45201DL2005PTC138897, E-mail : cs@silverglades.com, Website:www.silverglades.com;

Ph. No. : 91-124-4550300/309 Fax : 91-124-4550399

ORIGINAL

Work Order :Disposal/Shifting of Malba from High Town project ,Sector -28,Gurgaon

First Party: M/s Silverglades Infrastructure Private Limited	Site Location: High Town	Dated : 29.01.2025
<b>Address :</b> Regd. & Corp. Office : 506, 5th Floor, Time Square Building, B Block, Sushant Lok - I , Gurugram-122002, Haryana	<b>Second Party : M/s DC Buildcon LLP</b>	
<b>GST No of First Party -06AAJCS2157A1ZP</b>	<b>Address :</b> 115,Village Mohmmadpur ,jharsa ,Gurugram -122004	
	<b>Order No : Melia/WO/HT/DCBPPLP/24-25/</b>	
<b>PAN/GST No of Second Party -06AAVFD3757A1ZE</b>	<b>Email :</b>	

Dear Sir,

This is in Reference to your quotation & further discussion, First Party had with Second Party on above mentioned work , First Party is pleased to issue this work order for the following items mentioned in BOQ to Second Party on below mentioned terms & conditions:

## Bill of Quantities

S.No.	Description	Unit	Qty	Rate	Amount	Remarks
1	The disposal of building rubbish, malba, or similar unserviceable, dismantled, or waste materials will be carried out using mechanical means, ensuring efficient handling of all materials from the site to the approved municipal dumping ground. The process will include loading the waste materials from the construction site using appropriate machinery, transporting ,etc. them to the designated disposal area, and unloading the materials at approved municipal dumping ground. All actions will be undertaken in compliance with the safety standards and regulations, ensuring minimal disruption to the surrounding environment and public spaces. Rate are including cost of loading , unloading , transporation , fuel , driver , maintainance etc. & other required recosrces . Nothing shall be paid extra to complet the	MT	2800	450	1260000	
Note:-	Rate are including the below Mentioned details also : 1. Vehical Insurance and RTO Taxes shall be Payable by Contractor . 2. Vehicle Model not before 2018 along with all required documents and permission from Statutory authority. 3. Contractor shall deploy skilled driver with Heavy driving licence.					
					12,60,000	
	<b>GST @ 18%</b>				2,26,800	
	<b>Gross Amount including GST</b>				14,86,800	

In Word Rupees Fourteen Lakh(s) Eighty Six Thousand Eight Hundred Only

### TERMS & CONDITIONS

#### Payments:

1. First Party shall pay to Second Party as per scope of work and agreed rates. After submission of RA bills payment shall be released as mentioned below :  
50% payment: Released along with the work order after the submission of the bill.
2. 50% payment: Released after the completion of work and after the submission of the bill..
3. All payment under the contract shall be made directly to Second Party by way of Account Payee cheque. The Second Party shall obtain Provident Fund (PF) registration and ensure timely remittance of PF contributions for the labor engaged by the
4. Second Party. The Second Party shall be solely responsible for addressing any claims or liabilities arising in this regard, whether from the PF authorities or the labor involved.

#### Quantity & Rate:

5. Above quantities are tentative which may change as per the site conditions upto +/- 25% beyond the work order quantities subject to approval from First Party only.
6. The unit rates of the item shall be firm throughout the contract and shall include the cost of labour, T & P, transportation, lead & lift, Fuel & driver etc. all complete.
7. No Escalation is applicable during the contract period.

8. Free Issue of Material -Not applicable
9. Water & Electricity : NA

#### Wastage Permissible:

10. Not applicable

#### Deductions:

11. TDS will be deducted as per rule from every bill.
12. Security deposit -NA

Defect Liability Period: NA



13 Records of material brought & used at site shall be kept as per the format suggested by Engineer-In-Charge.

**Taxes & Duties:**

14 The above rates are inclusive of all taxes except GST which shall be paid extra.

15 Second Party shall issue a valid invoice with correct and complete disclosures with complete classification as required under latest GST notification and payments shall be processed only after receipt of correct invoice and credit note whichever required.

16 It shall be respective Second Party's responsibility to file timely GST return and also deposit GST as per laid procedure and in case of failure to file return / mismatch of invoices all liabilities arising shall be with Second Party and Second Party may be adequately penalized for the same for the losses on account of loss of input credit to First Party.

17 Indemnification: The Second Party shall indemnify First Party from implications of any failure of the Second Party to adhere to all laws and regulations related to Goods and Service Tax. If Second Party fails to make timely payments of GST, Second Party shall be liable to pay dues with Interest @ 24% on delayed payments / penalties whatsoever.

18 If at any time GST compliance rating of Second Party falls below prescribed criteria, First Party will have the right to terminate the services without any prior notice to Second Party.

19 Second Party shall be liable to pass on the benefits available under the GST regime in the form of reduced tax rate/higher input tax credits to the First Party, failing which the anti profiteering provisions shall be attracted.

20 All payment shall be subjected to GST as per laid norms and Second Party to ensure complete compliance.

**Time Schedule:**

21 Completion period is 1 Month from date of issue of work order.

22 Second Party shall adhere to the targets of completions given by the Engineer In Charge.

23 Manpower set up for this work shall be independent and in no case progress of work shall suffer due to shortfall on this account.

24 First Party reserves the right to take over the work and carry it at the risk and cost of the Second Party if there is delay beyond permissible limits.

25 Tools & Tackles: -Nothing Shall be provided by the First Party.

**Jurisdiction**

26 Any dispute arising out of this work as mentioned in the subject shall be settled amicably through mutual discussions. In case of failure to settle amicably, the dispute shall be finally resolved in accordance with the Arbitration and Conciliation Act, 1996 by sole arbitrator appointed by Managing Director of First Party, in the manner provided in the above act. The venue shall be New Delhi. The scope of work as per the Subject mentioned above is governed by the Laws of India and the jurisdiction of only Gurugram Haryana Courts shall apply

**Other terms**

27 No child labour shall be deployed at site of work .

28 Safety rules are to be strictly followed and no person shall be allowed to work without safety helmets & shoes.

29 Second Party shall be solely responsible for the consequences of any mishap/accident due to non compliance of the safety procedures.

**Conflict Management:**

30 Any conflict encountered in complying with the instructions made out pursuant to the Order terms as above shall be resolved by Authorised Signatory of the First Party.

31 The Second Party will take necessary and proper precautions to make the arrangements to protect the other finished / under finishing works from damages. Second Party shall adopt modern and safe working practices at site for maing the arrangements.

**Accommodation for Labour :**

32 There is no space for labour hutment at site and Second Party has also to arrange it outside from site premises at his own cost without any liability to First party.

33 Responsibility for Damages : In case the Second Party damages any of other's property or resources while installation of signages, then the Second Party shall be fully responsible for the same and make good / compensate the loss. Also any damage to Second Party property shall be repaired/ replace by Second Party at its own cost. First Party for any reason shall not be responsible for any loss whatsoever. Second Party shall be maintain all the assets provide by Second Party at its own cost during the complete duration of order. No extra charges towards the damage/ maintenance shall be paid to Second Party by First Party.

34 Indemnification : The Second Party shall indemnify First Party from implications of any failure of the Second Party to adhere to all statutory laws and regulations. The Second Party shall indemnify the First Party from implications of any accidents / injuries / casualty / damages to resources due to negligence or action of the Second Party.



**Work Order :Disposal/Shifting of Malba from High Town project ,Sector -28,Gurgaon**

Termination of Order :

First Party reserves the right to terminate the Service order for the following reasons in which case the work completed till the time of termination will be jointly measured and assessed by the First Party and the Second Party for payment :

- a. Inadequate rate of progress of work by the Second Party ; or
- b. Substandard quality and workmanship by the Second Party ; or
- c. Failure of the Second Party to meet the requirements set forth in this work order ; or
- d. Reasons beyond First Party's control.
- e. SECOND PARTY violates any law, ordinance, rule or regulation of any governmental authority in connection with providing the Services
- f. SECOND PARTY resorts to any unfair business practices

Recoveries upon Termination :

In the event of the Second Party's failure to perform the Work as set out herein, First Party shall have the right to terminate this Service Order and en cash the Bank Guarantee against the Material Performance Security and Mobilization Advance. In case of shortfall in such recovery of any dues, First Party shall have the first right to recover the dues from all or any of the equipment / machinery of the Second Party available at the work site of the Project.

**ARBITRATION**

Any dispute arising out of this Service Order shall be settled terms of this Service order. In case of failure to settle amicably, the dispute shall be finally resolved in accordance with the Arbitration & Conciliation Act, 1996 by sole Arbitrator to be nominated (including nomination of replacement Arbitrator, if necessitated by vacancy of the post caused by any reason whatsoever) by the President (Commercial and Finance) of First Party, New Delhi. The venue shall be New Delhi. This Service Order is governed as per the Laws of India and the jurisdiction of only New Delhi Courts shall apply.

All other documents / correspondences / MoMs etc. submitted along with the quotation or at any stage of negotiation prior to award of this Order remain cancelled & void, and necessary issues have been summarised and agreed. This Work Order shall have overriding priority on overall documents/ correspondences etc

For M/s Silverglades Infrastructure Pvt. Ltd.



Authorised Signatory

Terms & Condition Accepted by M/s DC Buildcon LLP

Authorised Signatory

Network: 28 Oct 2025 12:32:52 pm IST  
Local: 28 Oct 2025 12:32:51 pm IST  
28°28'25.367"N 77°4'29.378"E  
Gurugram  
Gurgaon Division  
Haryana



Network: 28 Oct 2025 12:32:43 pm IST

Local: 28 Oct 2025 12:32:43 pm IST

28°28'25.974"N 77°4'29.365"E

Gurugram

Gurgaon Division

Haryana



# Cops break through web to catch conman

## Crooks Used Several Bank A/cs To Hide Tracks

TIMES NEWS NETWORK

### MULTIPLE LAYERS

► Crooks call people posing as bank's customer care inform them about pending KYC documents and account deactivation  
► Send them a link to an online form, asking to fill it and attach documents to 'reactivate account'  
► Using data from the malicious form, they log in to internet banking and transfer money to their account  
► The money is first transferred to multiple accounts one after another



► Money divided into multiple wallets and then again sent to different accounts  
► Finally withdrawn from ATMs, as no further activity done through the accounts for some time

after some time Rs 137,000 had been deducted from his account. An FIR was subsequently registered and an investigation initiated.

The analysis of the account statement showed that the money was transferred from the complainant's SBH account to an IDFC Bank account. When he approached the bank, they found that the money had been further transferred to Allahabad Bank and then to a Kotak Mahindra bank account. To hide their tracks further, the crooks moved the money to different Pravartik accounts.

The investigation went on and police kept seeking details of recipients and analysing them. The examination of transactions in the recipient wallets showed that the crooks didn't stop there. From

Parm accounts, a partial fraud amount was transferred to three Bank of Baroda accounts, while the remaining amount was withdrawn through an ATM," said Meena.

The cops collected clues from the bank accounts and wallets and mounted a technical investigation. Based on the technical leads, raids were conducted in different locations in Jamia Nagar, Girdi and Sabzi Bazaar area in Jharkhand. Kumar was nabbed after a long pursuit.

During interrogation, the accused disclosed that he, with his brother Vijay Kumar and other co-conspirators, had conceived of this plan to cheat people through phone and online fraud. They opened bank accounts and loaned some more accounts to receive the stolen cash.

## FIR against Amazon over 'duplicate' products

[Bagdas.Jha@timesgroup.com](mailto:Bagdas.Jha@timesgroup.com)

Gurgaon: The owner of a dietary supplement company claims that some of its duplicate products were being sold on Amazon.

Dwender Singh, the complainant, alleged he had approached Amazon several times and alerted the e-commerce giant about the duplicate products. "Despite the repeated mails, they did not take any action. In fact, they did not even respond to my communication," said Singh. He claimed he had lost 6.5 crore because of the duplicate products.

Following Singh's complaint, an FIR has been lodged against Amazon under IPC Section 429 (cheating) and Section 63 of the Copyright Act. Police Commissioner KK Rao said the duplicate products were being manufactured in Bihar.

An Amazon India spokesperson said, "Our customers expect that when they make a purchase through our platform, the products they will receive are authentic products. Amazon strictly prohibits the sale of counterfeit products and we invest heavily in both funds and company energy to ensure our policy is followed by third party sellers selling on Amazon. We investigate any claim of counterfeit thoroughly, including removing the item, permanently removing the bad actor, pursuing legal action as appropriate."

## Journalist arrested at Singhu granted bail

TIMES NEWS NETWORK

New Delhi: It's a well-settled legal principle of law that bail is a rule and bail is an exception. This was stated by a city court in the case of a journalist arrested at Singhu, who was arrested on charges of assault on policemen and obstruction during the farmers' protests at Singhu border.

Chief metropolitan magistrate Satvir Singh Lamba, in the bail order, highlighted that the alleged assault between Punia and the police between 7am and 8am.

Keeping the accused further in judicial custody without serving any court order, he added.

Punia, through his advocate, was registered at 12am the next day. Moreover, the complainant, victims and witnesses were present only. Hence, there is no power to bail out the accused if any of the police officers' added the judge.

The court added that Punia was a freelance journalist and no recovery had to be made from him.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

While allowing bail on a bond of Rs 25,000 and one security, the court directed Punia not to jump bail and attend court regularly. "The accused shall not indulge in a similar offence or any other offence. He shall not tamper with the evidence and shall provide his mobile number to the officials concerned," the order stated.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to

mislead police. It was also alleged that Punia had instigated the protesters with slogans and shouting. The bail was opposed by police stating that he may create an "extreme massive nuisance" if released.

"Keeping the accused further in judicial custody without serving any court order, he added.

The prosecution stated that Punia had pushed a cop and on inquiry he had concealed his identity and tried to



Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

<b>Proposal No</b>	SIA/HR/MIS/163815/2020
<b>Compliance ID</b>	130947629
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/130947629/2025
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	28-06-2025
<b>RO/SRO Name</b>	Shri Satya Prakash Negi
<b>RO/SRO Email</b>	jhk119@ifs.nic.in
<b>State</b>	HARYANA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Chandigarh

**Note:-** SMS and E-Mail has been sent to Shri Satya Prakash Negi, HARYANA with Notification to Project Proponent.

# Silverglades Infrastructure Private Limited

Corporate Office:- 5<sup>th</sup> Floor, Time Square Building, B Block, Sushant Lok-I, Gurugram-122002, Haryana  
E-mail :-[cs@silverglades.com](mailto:cs@silverglades.com); Website :- [www.silverglades.com](http://www.silverglades.com); CIN :- U45201DL2005PTC138897  
Ph. :- 91-124-4550300/309 ; Fax :- 91-124-4550399

The Regional Officer,  
Haryana State Pollution Control Board  
Gurgaon North ,Vikas Sadan  
Gurugram

15.11.2025

Sub: Submission of Annual Environmental Statement (Form V) for the financial year 2024-25 w.r.t.  
Expansion of Group Housing Project at Village Sukhrali, Sector-28, district Gurugram, Haryana by M/s  
Silverglades Infrastructures Pvt. Ltd.


Dear Sir,

This is in reference to the above mentioned subject, we are herewith submitting the Annual  
Environmental Statement (Form V) attached as Annexure I for your information and record.

Thanking you,

Yours Sincerely,

For M/s Silverglades Infrastructures Pvt. Ltd.

  
Name: Harsh Kumar Gupta  
Designation: Director



Received  
22  
HSPCB(GRN)

Regd. Office: 404, Nirmal Tower, 26 Barakhamba Road, New Delhi- 110001.

**FORM - V**  
(See rule 14)

**Environmental Audit Report for the Financial year ending the 31<sup>st</sup> March 2025.**

**PART - A**

1.	Name & address of the owner/occupier of the industry, operation or process.	M/s Silverglades Infrastructures Pvt. Ltd. Village-Sukhrali, Sector-28, Gurugram, Haryana
2.	Industry category Primary (STC Code), Secondary (STC Code)	Red (Large)
3.	Production Capacity- Units	Plot Area :- 19627.25 m <sup>2</sup> Built Up Area - 1,21,827.6 m <sup>2</sup>
4.	Year of establishment	2021
5.	Date of last environmental statement	-

**PART - B**

Water Consumption m <sup>3</sup> /day process			
Particular	During the previous financial year	During the current financial year	
Cooling	Nill	Nill	
Domestic	08.0 KLD	10.0 KLD	
2 Water Consumption per unit of Products			
Name of Products	During the previous financial year	During the current financial year	
a. NA	NA	NA	
3 Raw Material Consumption		Consumption of Raw Material Per unit of output	
Name of Raw Materials	Name of Products	During the previous financial year	During the current financial year
Not Applicable as this is service facility			

**PART - C**


**Pollution Generated (Parameters as specified in the consent issued)**

Pollutants	Quantity of pollution generated	Percentage of variation from prescribed standards with reasons
a. Water	The project is under construction stage ,consequently, no generation of water pollutants is currently taking place at the site. Environmental control systems such as sewage treatment plants (STPs), control measures are being placed and will be fully operational prior to actual occupancy.	
b. Air	All the pollutants (PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , NO <sub>2</sub> , CO) are within prescribed limits. AAQ monitoring reports are attached as Annexure I.	

**PART - D**

**[as specified under Hazardous Wastes (Management & Handling) Rules, 1989]**

	Hazardous Wastes	Total Quantity (in Kg)	
		During the previous financial year	During the current financial year
a.	From Process	Nill	



b. From Pollution Control Facilities	Used lubrication oil	Nil
--------------------------------------	----------------------	-----

**PART - E  
Solid Wastes**

		Total Quantity	
		During the previous financial year	During the current financial year
a	From process	Nil	Nil
b	From pollution control facility	Nil	Nil
c	Quantity recycled or re-utilized.	Nil	Nil

**PART - F**

**Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.**

- The project is under construction stage as a result, there is currently no generation of solid waste or hazardous waste at the site. Authorized recycler are tie-up for dry and recyclable waste, Similarly, no hazardous waste is being generated. In future, any hazardous waste (such as used oil from DG sets) will be handled as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and disposed of through authorized recyclers.

**PART - G**

**Impact of pollution control measures on conservation of natural resources and consequently on the cost of production.**

- Pollution control measures maintain the quality of ambient air.
- Domestic wastewater is being treated in STP and used for flushing and greenbelt. No wastewater is being discharged outside hence preventing adverse impact on surface water

**PART - H**

**Additional investment proposal for environmental protection including abatement of pollution.**

- Greenbelt development will be done as per development plan.
- Modern pollution control equipment's have been provided.


**The Environment (Protection) Rules, 1986**

**PART - I**

**Miscellaneous**

**Any other particulars in respect of environment protection and abatement of pollution.**

- STP of adequate capacity will be operated as per Board Guideline
- Reuse of wastewater after treatment in greenbelt and flushing
- Rainwater harvesting structures are being installed to recharge the groundwater table and reduce surface runoff.









Network: 11 Nov 2025 12:02:47 pm IST  
Local: 11 Nov 2025 12:02:47 pm IST  
28°28'24.601"N 77°4'29.956"E  
Gurugram  
Gurgaon Division  
Haryana

10-28-2025 Tue 14:08:10



28-Camera 01



28-Camera 01



10-28-2025 Tue 14:08:09



28-Camera 01

10-28-2025 Tue 14:08:12



28-Camera 01

10-28-2025 Tue 14:08:10



28-Camera 01

10-28-2025 Tue 14:08:10

10-28-2025 Tue 14:08:08



28-Camera 01

10-28-2025 Tue 14:08:03



28-Camera 01

10-28-2025 Tue 14:08:09



28-Camera 01

10-28-2025 Tue 14:08:10

10-28-2025 Tue 14:08:09



28-IPdome

203.23 k/s



Playback



28-Camera 01

Network: 11 Nov 2025 12:03:18 pm IST

Local: 11 Nov 2025 12:03:18 pm IST

28°28'24.719"N 77°4'30.727"E

Gurugram




Gurgaon Division

Haryana



Network: 11 Nov 2025 12:41:50 GMT+05:30  
28°28'17.44"N 77°4'30.178"E  
Sector 43  
Gurugram  
Gurgaon Division  
Haryana

# Air Quality Monitor





Network: 11 Nov 2025 11:53:27 GMT+05:30  
28°28'17.145"N 77°4'30.174"E  
Sector 43  
Gurugram  
Gurgaon Division  
Haryana



Prana Air



Air Quality Monitor



India

